

SKIN REPLICA IMAGE ANALYSIS

FINDINGS: Overall the Eye Area results are consistent with Treatment C showing somewhat greater effectiveness at smoothing the texture compared to baseline than the other treatments. For the forehead area, the results support shallower and fewer vertical lines, most markedly for Treatment C.

Sample Report Efficacy Study

Prepared by
bioNET, Incorporated
David L. Miller, Ph. D.
President

A handwritten signature in black ink that reads "David L. Miller". The signature is written in a cursive, flowing style with a large initial 'D'.

Report Date

METHODS


Equipment

PC: IBM compatible Pentium III 500Mhz with 256 mb memory running under Windows 2000 Professional.

Video: Cohu solid state B&W camera, 50mm lens/30mm extension, Coreco TCI Ultra frame grabber.

Software: OPTIMAS v6.5, Microsoft EXCEL 2003, StatSoft STATISTICA 7.

Lighting: Collimated light source directed at a 25° angle from the plane of the replica. The replica was placed in a holder that fixed the direction of the tab position of the replica so that the replica could be rotated to align the tab direction normal or parallel to the incident light direction.



The replicas were taken from the crow's feet area adjacent to each eye with the tab direction pointing toward the ear. The NORMAL sampling orientation provides texture measurements sensitive to the MAJOR, expression-induced lines (crow's feet). The PARALLEL sampling orientation provides texture measurements sensitive to the MINOR, fine lines. Replicas were also taken from the forehead area adjacent to the bridge of the nose with the tab direction pointing along the vertical axis. The NORMAL sampling orientation provides texture measurements sensitive to the MAJOR, vertical lines. The PARALLEL sampling orientation provides texture measurements sensitive to the horizontal fine lines.

REPLICA ANALYSIS

The general background gradient of light intensity was adjusted by applying a 1st order correction in the direction of the light propagation. The shadow texture produced by the oblique lighting of the negative replica was analyzed by two types assay methods:

A. Measuring the luminance along a set of 10 equal length parallel lines (passes) running across the replica parallel to the lighting direction. The variations in luminance were treated as indicative of the roughness and analyzed by traditional surface roughness statistics:

Rz- the average maximum difference in luminance value for five equal length segments in each of the 10 lines traversing the sample.

Ra- the average deviation of the luminance curve about the mean luminance for the same 10 lines.

The “R” parameters are reported in the units of brightness (Gray Levels) ranging from 0 to 255.

FSpace- distance between markers placed on the lines at luminance changes indicative of fine lines.

FNum- number markers per mm placed on the lines at luminance changes indicative of fine lines.

B. The replica image area was divided into 10 equal width bands or sub-areas. The shadow like features were detected in each of these bands according to their luminance values being less than the detection threshold¹. Four parameters were determined from the detected features.

Spacing- the mean distance in millimeters between adjacent detected features (i.e. spacing between the midpoints of adjacent shadowy features).

Breadth- the average breadth in millimeters of the detected features in millimeters. This parameter is proportional to the depth of the wrinkle producing the shadow.

Shadows- percent of the sampled replica area with luminance values less than the detection threshold. This is the relative area of shadows cast by the wrinkles and fine lines in the replica.

NumWr- the total number of features detected in the 10 bands or sub-areas used to calculate spacing and breadth.

¹ Threshold Algorithm:

CUTOFF = that gray level halfway between black and the most probable gray value in the image. The most probable gray value typically characterizes the flat, featureless regions of the replica.

Shadows = $100.0 * \text{sum}(\text{ArROIHistogram}[\text{Lo..}(\text{CUTOFF} + 1)]) / \text{totalpixels}$.

RESULTS

450 replicas were supplied for evaluation. The replicas represented 5 visit samples for the two sites E (eye area) and V (vertical forehead): BL (baseline) and W2, W4, W6 and W8 during the treatment period. After completion of the measurements the subjects were assigned to one of three treatment groups (A, B or C) according to a supplied randomization list. A complete listing of the data is in the data section of the Appendix.

The results are summarized in Tables 1a through 1d in the statistics section of the Appendix. Each table summarizes the results for a specific site (E,V) and sample direction (N, P). Graphs illustrating the dependence of Rz and NumWr parameters on VISIT for the 2 sites are also in the Appendix. In the eye area the results portray similar magnitudes for N and P sampling directions while replicas made in the forehead area exhibited higher levels for most Rz and NumWr parameters in the Normal direction compared to the Parallel direction. The trends with visit appear to be similar for treatment groups A, B and C.

Changes from baseline were calculated by subtracting each subject's BL values from the subsequent values. The mean changes were tested for significance using the one sample T-test against a value of zero using the formula

$$t = \frac{\sqrt{n} \cdot (\text{mean} - u_0)}{\text{std. dev.}} \quad \text{where } u_0 = 0.$$

The t statistic was compared with values of the t distribution for the known degrees of freedom, n-1. The p value associated with this statistic, P(t), is tabulated with the appropriate mean in Tables 2a through 2d. Statistically significant ($p < 0.05$) results are in bold type with yellow shaded background. Directionally significant ($p < 0.10$) results are in bold type with green shaded background.

Treatment group effects were analyzed using one way ANOVA calculations at each site, sampling direction and visit. There were no statistically significant treatment effects so the results were not included in the report. This means that direct comparisons of the 3 treatments on **a parameter by parameter basis** did not suggest any significant treatment differences.

EYE AREA

In the Normal direction (COARSE Crow's Feet Lines), changes from baseline were most consistent and statistically significant for 5 measured parameters of treatment group C at W4, however the trend did not persist to W8. There were a smattering of directionally significant changes for treatment groups A and B but there was no consistency. All significant changes were in the direction of smoother texture.

In the Parallel direction (FINE LINES), statistically significant changes from baseline for Group A tended to be consistent at W4 but they were mostly in the direction of less smooth texture. At W8, for treatment C, changes in 5 parameters were statistically significant ($p < 0.05$). The treatment C changes were in the direction of smoother texture.

VERTICAL FOREHEAD AREA

In the Normal direction (vertical Lines), statistically significant changes from baseline occurred for Treatment A at W2 (Rz, Ra and FSpace), for Treatment B at W4 and W6 (Breadth), and for Treatment C at W2, W4 and W6 (Breadth, Shadows). A number of directionally significant changes ($p < 0.10$) occurred mostly for Treatment A. All three

treatments reduced the number of vertical lines throughout the treatment phase. Most significant changes were in the direction smoother texture.

In the Parallel direction (horizontal lines), statistically significant changes from baseline for the Spacing parameter occurred at W2 for Treatment A and W4 and W6 for Treatment B, however Treatment C produced no statistically significant changes. The significant changes were in the direction of more widely spaced fine lines generally indicative of smoother texture.

SUMMARY


Overall the Eye Area results are consistent with Treatment C showing somewhat greater effectiveness at smoothing the texture compared to baseline than the other treatments. For the forehead area, the results support shallower and fewer vertical lines, most markedly for Treatment C.

Changes from baseline calculated as a **percent improvement** (a standard implying smoother, fewer lines) are listed in Tables 3a and 3b in the appendix. Statistically significant ($p < 0.05$) and directionally significant ($p < 0.10$) values are highlighted in yellow and green respectively. Negative values indicate the significant change was in the direction opposite of standard wrinkle and line improvement.

INTERPRETATION GUIDELINES

The 8 wrinkle texture parameters reported in our analysis measure various aspects of the image produced by the replica surface. Generally if there is a substantial smoothing effect, there will be consistent significant changes in several parameters.

Rz and **Ra**, optical counterparts of classic “stylus” roughness texture parameters: *increase with increasing roughness*. The diagrams below illustrate the definitions. The profile in the diagram is the brightness profile generated by the angled lighting of the wrinkles on the replica. Note that the amplitude of the profile is not proportional to the depth of the wrinkle but represents the intensity of the *shadows* behind the wrinkles and *highlights* in front of the wrinkles. **Rz**- the maximum difference in luminance value (measured at five equal length segments traversing the sample). **Ra**- the average deviation of the luminance curve about the mean luminance.



Fspace is the *distance* between markers in mm indicative of fine and coarse lines. In the diagrams above these would be placed at each maximum in the luminance profile.

FNum is *number* markers per mm. As lines and creases disappear, Fspace increases and FNum decreases.

Spacing is the mean distance in millimeters between adjacent strong shadow features. Sometimes decreases with conversion of deep wrinkles to fine wrinkles (Moisturization). Increases with disappearance of wrinkles.

Breadth is proportional to the depth of the wrinkle producing the shadow. May or may not change. Decreases as wrinkles become *shallow*. This parameter is not sensitive to the number or length of wrinkles.

Shadows parameter is the relative *area* of shadows cast by all the wrinkles and fine lines in the replica. It is sensitive to both the length and depth of the wrinkles. Decreases with smoothing of the skin.

NumWr is the total number of shadowy features available to calculate spacing and breadth. Generally decreases with smoothing of the skin (fewer visible features).

APPENDIX

Statistics

Graphs

Data Listing

STATISTICS

Table 1a: Breakdown Table of Descriptive Statistics (Alldata in WrinkleStats.stw)

SITE	SAMPLE	TRTMNT	VISIT	N	Rz		Ra		Fspace		FNUM	
					Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.
E	N	A	BL	14	116.0	32.6	22.4	6.4	1.640	0.292	0.467	0.127
E	N	A	W2	14	119.9	32.4	22.7	6.4	1.677	0.370	0.492	0.152
E	N	A	W4	14	94.4	38.3	18.8	7.9	1.677	0.368	0.460	0.139
E	N	A	W6	14	107.2	29.9	20.7	5.9	1.746	0.398	0.423	0.143
E	N	A	W8	14	115.5	30.9	22.1	6.8	1.714	0.542	0.518	0.134
E	N	B	BL	15	122.3	42.7	24.4	9.1	1.665	0.354	0.456	0.137
E	N	B	W2	15	111.9	33.4	21.3	6.8	1.775	0.380	0.449	0.099
E	N	B	W4	15	114.1	35.7	21.6	8.1	1.682	0.329	0.464	0.110
E	N	B	W6	15	113.0	42.9	22.5	9.5	1.782	0.425	0.446	0.113
E	N	B	W8	15	112.0	38.3	22.0	10.3	1.826	0.292	0.408	0.101
E	N	C	BL	16	134.0	60.7	29.9	19.5	1.545	0.298	0.538	0.166
E	N	C	W2	16	129.0	52.4	26.6	13.0	1.565	0.290	0.527	0.147
E	N	C	W4	16	108.2	53.4	22.8	13.4	1.719	0.436	0.479	0.139
E	N	C	W6	16	128.0	48.5	26.0	12.9	1.611	0.263	0.510	0.136
E	N	C	W8	16	137.6	59.5	29.6	16.6	1.590	0.274	0.498	0.120

SITE	SAMPLE	TRTMNT	VISIT	N	Spacing		Breadth		Shadows		NumWr	
					Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.
E	N	A	BL	14	1.274	0.879	0.184	0.026	8.1	5.5	103.4	67.6
E	N	A	W2	14	1.189	0.529	0.176	0.034	7.7	4.5	101.1	52.9
E	N	A	W4	14	2.026	1.358	0.168	0.043	4.9	6.1	55.0	58.5
E	N	A	W6	14	1.353	0.679	0.175	0.026	6.2	4.2	84.3	52.0
E	N	A	W8	13	1.117	0.443	0.175	0.064	7.1	5.3	92.2	61.6
E	N	B	BL	15	1.257	0.852	0.200	0.041	9.6	7.1	107.1	74.1
E	N	B	W2	15	1.390	0.722	0.179	0.035	7.0	4.8	87.4	57.9
E	N	B	W4	15	1.340	0.742	0.180	0.065	6.5	4.8	78.0	49.4
E	N	B	W6	14	1.817	1.877	0.192	0.064	8.1	8.0	84.3	67.0
E	N	B	W8	15	1.413	0.557	0.185	0.063	7.4	8.8	78.0	61.3
E	N	C	BL	15	1.218	1.182	0.229	0.122	13.2	12.9	103.0	63.6
E	N	C	W2	16	1.472	1.122	0.207	0.068	11.8	9.8	107.5	68.0
E	N	C	W4	15	1.621	0.961	0.184	0.069	7.5	9.1	68.3	55.3
E	N	C	W6	16	1.340	0.671	0.201	0.080	10.2	10.3	91.8	63.7
E	N	C	W8	16	1.399	0.899	0.213	0.091	11.4	9.7	99.3	74.9

STATISTICS

Table 1b: Breakdown Table of Descriptive Statistics (Alldata in WrinkleStats.stw)

SITE	SAMPLE	TRTMNT	VISIT	N	Rz		Ra		Fspace		FNUM	
					Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.
E	P	A	BL	14	108.8	29.3	21.2	5.9	1.662	0.435	0.480	0.154
E	P	A	W2	14	107.5	26.8	20.5	5.6	1.681	0.466	0.496	0.116
E	P	A	W4	14	131.0	36.2	24.6	7.7	1.604	0.328	0.544	0.127
E	P	A	W6	14	120.7	30.0	22.7	6.0	1.582	0.282	0.541	0.109
E	P	A	W8	14	104.5	35.1	20.5	7.8	1.671	0.422	0.521	0.157
E	P	B	BL	15	117.8	30.9	23.0	7.2	1.519	0.289	0.540	0.120
E	P	B	W2	15	117.4	36.9	22.7	7.5	1.613	0.298	0.520	0.131
E	P	B	W4	15	119.8	40.5	22.8	7.6	1.634	0.407	0.544	0.153
E	P	B	W6	15	108.9	30.7	20.9	6.4	1.647	0.334	0.515	0.129
E	P	B	W8	15	106.1	35.9	20.1	7.3	1.636	0.321	0.497	0.131
E	P	C	BL	16	117.9	33.2	23.6	7.3	1.482	0.211	0.561	0.117
E	P	C	W2	16	117.9	30.3	23.6	7.2	1.524	0.334	0.558	0.157
E	P	C	W4	16	124.9	39.8	24.9	9.0	1.592	0.277	0.526	0.136
E	P	C	W6	16	110.8	29.2	21.5	6.0	1.609	0.277	0.504	0.107
E	P	C	W8	16	100.7	28.0	19.4	5.4	1.633	0.249	0.513	0.098

SITE	SAMPLE	TRTMNT	VISIT	N	Spacing		Breadth		Shadows		NumWr	
					Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.
E	P	A	BL	14	1.277	0.583	0.172	0.023	6.8	5.0	93.6	61.8
E	P	A	W2	14	1.659	0.739	0.165	0.028	5.3	3.3	79.3	42.4
E	P	A	W4	14	1.245	0.646	0.153	0.032	7.1	5.1	105.7	66.0
E	P	A	W6	14	1.513	1.249	0.153	0.022	6.6	4.1	98.9	62.1
E	P	A	W8	14	1.957	1.300	0.162	0.048	5.5	5.3	70.9	57.7
E	P	B	BL	15	1.203	0.673	0.173	0.049	7.9	6.2	95.5	56.2
E	P	B	W2	14	1.223	0.677	0.169	0.032	7.7	5.4	101.5	61.4
E	P	B	W4	14	1.421	0.982	0.162	0.030	6.6	5.4	90.9	70.2
E	P	B	W6	15	1.616	1.108	0.160	0.041	5.2	4.5	71.1	51.1
E	P	B	W8	15	2.084	1.329	0.173	0.042	5.7	5.9	68.1	53.9
E	P	C	BL	16	1.063	0.536	0.179	0.041	8.9	5.3	114.1	68.7
E	P	C	W2	16	1.174	0.921	0.181	0.040	9.1	5.8	111.0	60.8
E	P	C	W4	15	1.281	0.723	0.171	0.034	7.7	5.7	93.9	54.7
E	P	C	W6	16	1.715	1.287	0.168	0.038	6.5	4.4	87.8	56.9
E	P	C	W8	16	1.301	0.778	0.169	0.046	5.3	4.4	71.3	56.7

STATISTICS

Table 1c: Breakdown Table of Descriptive Statistics (Alldata in WrinkleStats.stw)

SITE	SAMPLE	TRTMNT	VISIT	N	Rz		Ra		Fspace		FNUM	
					Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.
V	N	A	BL	14	140.3	31.6	28.0	7.5	1.903	0.461	0.406	0.111
V	N	A	W2	14	127.0	22.7	24.5	5.3	1.614	0.267	0.424	0.113
V	N	A	W4	14	145.1	34.9	28.6	7.8	1.948	0.379	0.440	0.106
V	N	A	W6	14	125.9	35.1	25.8	8.6	1.985	0.526	0.376	0.102
V	N	A	W8	14	135.7	32.2	26.1	7.6	1.900	0.561	0.429	0.123
V	N	B	BL	15	140.0	27.0	29.8	6.6	1.753	0.423	0.395	0.145
V	N	B	W2	15	141.3	38.1	29.0	10.0	1.780	0.380	0.411	0.125
V	N	B	W4	15	144.1	32.8	29.4	9.6	1.719	0.322	0.442	0.121
V	N	B	W6	15	138.7	31.6	29.0	8.9	1.793	0.405	0.396	0.109
V	N	B	W8	15	129.2	41.4	27.3	11.5	1.680	0.368	0.402	0.114
V	N	C	BL	16	141.4	30.9	30.5	9.8	1.740	0.659	0.382	0.168
V	N	C	W2	16	142.3	30.8	27.9	6.2	1.799	0.420	0.423	0.100
V	N	C	W4	16	137.0	45.8	28.1	11.9	1.805	0.282	0.398	0.102
V	N	C	W6	16	126.7	36.8	25.4	8.4	1.800	0.355	0.406	0.093
V	N	C	W8	16	135.1	40.6	28.3	10.4	1.939	0.467	0.390	0.094

SITE	SAMPLE	TRTMNT	VISIT	N	Spacing		Breadth		Shadows		NumWr	
					Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.
V	N	A	BL	14	1.176	0.701	0.206	0.026	9.8	4.3	105.4	38.0
V	N	A	W2	14	1.112	0.439	0.186	0.048	7.9	4.1	93.1	41.3
V	N	A	W4	14	1.284	0.473	0.201	0.031	8.2	5.0	92.4	47.4
V	N	A	W6	14	1.448	0.715	0.212	0.041	7.8	5.3	79.9	46.6
V	N	A	W8	14	1.387	0.686	0.190	0.065	8.0	4.9	85.6	41.7
V	N	B	BL	15	1.218	0.585	0.265	0.072	11.0	5.3	96.0	53.7
V	N	B	W2	15	1.200	0.519	0.235	0.050	10.9	6.8	98.9	44.0
V	N	B	W4	15	1.303	0.585	0.212	0.071	9.7	6.9	97.3	42.8
V	N	B	W6	15	1.221	0.495	0.223	0.051	9.6	5.5	89.5	47.1
V	N	B	W8	15	1.134	0.710	0.214	0.053	8.7	7.4	76.5	45.3
V	N	C	BL	16	1.176	0.605	0.238	0.069	11.6	6.5	98.7	40.2
V	N	C	W2	16	1.079	0.607	0.201	0.047	9.9	4.4	112.0	41.2
V	N	C	W4	16	1.442	0.890	0.207	0.060	8.9	7.0	79.7	45.5
V	N	C	W6	16	1.458	0.643	0.200	0.060	7.6	5.4	76.1	41.9
V	N	C	W8	16	1.452	0.666	0.214	0.050	9.5	6.5	85.1	48.1

STATISTICS

Table 1d: Breakdown Table of Descriptive Statistics (Alldata in WrinkleStats.stw)

SITE	SAMPLE	TRTMNT	VISIT	N	Rz		Ra		Fspace		FNUM	
					Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.
V	P	A	BL	14	84.1	20.8	16.8	4.0	1.658	0.499	0.474	0.151
V	P	A	W2	14	91.7	34.2	17.8	6.6	1.728	0.240	0.469	0.070
V	P	A	W4	14	91.3	20.6	18.3	4.0	1.613	0.289	0.468	0.116
V	P	A	W6	14	98.1	32.8	19.3	6.0	1.847	0.414	0.471	0.111
V	P	A	W8	14	98.1	40.2	19.4	8.4	1.723	0.445	0.512	0.150
V	P	B	BL	15	93.1	31.9	19.5	7.3	1.730	0.289	0.435	0.120
V	P	B	W2	15	100.5	37.5	20.7	9.3	1.684	0.330	0.482	0.113
V	P	B	W4	15	102.3	44.7	20.9	9.5	1.836	0.510	0.451	0.114
V	P	B	W6	15	101.5	41.1	21.0	9.3	1.585	0.365	0.471	0.112
V	P	B	W8	15	99.6	45.9	20.9	11.2	1.596	0.334	0.505	0.141
V	P	C	BL	16	86.1	25.2	17.7	5.2	1.748	0.316	0.479	0.110
V	P	C	W2	16	88.1	29.0	17.5	6.0	1.710	0.230	0.501	0.077
V	P	C	W4	16	100.9	45.4	20.4	9.2	1.796	0.357	0.487	0.095
V	P	C	W6	16	94.8	40.4	19.3	8.2	1.726	0.393	0.470	0.099
V	P	C	W8	16	90.3	36.1	17.9	7.3	1.600	0.316	0.528	0.110

SITE	SAMPLE	TRTMNT	VISIT	N	Spacing		Breadth		Shadows		NumWr	
					Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.	Means	Std.Dev.
V	P	A	BL	13	1.484	0.625	0.173	0.031	3.5	2.3	47.6	33.8
V	P	A	W2	13	2.080	0.869	0.173	0.032	4.1	4.1	49.3	43.4
V	P	A	W4	14	1.529	0.531	0.174	0.024	2.9	1.8	38.5	22.0
V	P	A	W6	13	1.760	0.953	0.162	0.030	3.7	2.9	48.6	37.8
V	P	A	W8	11	1.935	1.337	0.181	0.068	4.4	4.4	51.6	46.2
V	P	B	BL	15	1.364	0.786	0.202	0.045	5.3	4.9	60.7	49.7
V	P	B	W2	15	1.781	0.952	0.194	0.035	5.3	3.9	63.5	40.6
V	P	B	W4	15	2.415	1.471	0.199	0.051	5.8	6.9	57.1	56.1
V	P	B	W6	14	1.991	1.146	0.193	0.036	4.9	4.3	59.8	48.9
V	P	B	W8	15	2.373	1.867	0.193	0.032	5.1	5.2	57.8	52.9
V	P	C	BL	16	1.685	1.086	0.170	0.026	3.6	2.6	51.3	38.3
V	P	C	W2	16	2.186	1.339	0.179	0.035	4.4	4.6	54.1	55.2
V	P	C	W4	15	2.207	1.572	0.179	0.038	4.9	4.9	60.8	55.4
V	P	C	W6	14	1.687	1.268	0.187	0.044	4.9	5.2	57.3	55.9
V	P	C	W8	13	1.606	0.944	0.179	0.040	4.3	4.3	55.8	54.8

STATISTICS

Table 2a: CHANGES FROM BASELINE
Breakdown Table of Descriptive Statistics (cfbdata in WrinkleStats.stw)

SITE	SAMPLE	TRTMNT	VISIT	N	Rz			Ra			Fspace			FNUM		
					Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)
E	N	A	W2	14	3.9	32.6	0.6633	0.3	6.7	0.8884	0.037	0.301	0.6562	0.026	0.104	0.3595
E	N	A	W4	14	-21.6	40.9	0.0704	-3.6	8.7	0.1438	0.037	0.269	0.6174	-0.008	0.124	0.8156
E	N	A	W6	14	-8.8	30.4	0.2993	-1.8	5.9	0.2805	0.106	0.216	0.0896	-0.043	0.098	0.1241
E	N	A	W8	14	-0.5	33.7	0.9535	-0.3	6.8	0.8662	0.074	0.394	0.4970	0.050	0.125	0.1577
E	N	B	W2	15	-10.4	42.5	0.3600	-3.1	7.8	0.1423	0.110	0.309	0.1885	-0.007	0.111	0.8011
E	N	B	W4	15	-8.1	45.9	0.5035	-2.7	9.9	0.2999	0.017	0.379	0.8650	0.005	0.144	0.8882
E	N	B	W6	15	-9.3	42.2	0.4102	-1.9	9.6	0.4642	0.116	0.280	0.1296	-0.013	0.121	0.6921
E	N	B	W8	15	-10.2	52.6	0.4648	-2.4	13.2	0.4866	0.161	0.428	0.1676	-0.051	0.106	0.0809
E	N	C	W2	16	-4.9	28.4	0.4972	-3.3	10.5	0.2283	0.020	0.267	0.7675	-0.011	0.144	0.7586
E	N	C	W4	16	-25.8	38.8	0.0180	-7.1	12.4	0.0376	0.174	0.490	0.1761	-0.062	0.198	0.2313
E	N	C	W6	16	-5.9	44.1	0.5989	-3.9	14.2	0.2852	0.067	0.287	0.3672	-0.029	0.160	0.4831
E	N	C	W8	16	3.6	28.2	0.6134	-0.3	8.0	0.8661	0.045	0.311	0.5693	-0.041	0.127	0.2142

SITE	SAMPLE	TRTMNT	VISIT	N	Spacing			Breadth			Shadows			NumWr		
					Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)
E	N	A	W2	14	-0.086	0.955	0.7422	-0.008	0.032	0.3454	-0.4	4.8	0.7703	-2.2	53.6	0.8794
E	N	A	W4	14	0.752	1.390	0.0640	-0.015	0.043	0.2039	-3.2	6.8	0.1051	-48.4	67.1	0.0183
E	N	A	W6	14	0.079	0.672	0.6665	-0.009	0.032	0.3254	-1.8	4.0	0.1170	-19.1	46.7	0.1504
E	N	A	W8	14	-0.175	0.673	0.3671	-0.009	0.062	0.6084	-1.0	4.3	0.4141	-11.1	42.9	0.3488
E	N	B	W2	15	0.133	0.674	0.4583	-0.021	0.041	0.0643	-2.7	6.8	0.1534	-19.7	66.2	0.2675
E	N	B	W4	15	0.083	0.965	0.7440	-0.021	0.061	0.2076	-3.2	7.1	0.1050	-29.1	65.5	0.1071
E	N	B	W6	15	0.281	0.520	0.0746	-0.007	0.068	0.6949	-1.5	8.8	0.5053	-22.9	67.5	0.2106
E	N	B	W8	15	0.156	0.745	0.4321	-0.015	0.082	0.4775	-2.3	11.1	0.4401	-29.1	73.6	0.1475
E	N	C	W2	16	0.111	0.860	0.6263	-0.022	0.074	0.2446	-1.4	7.2	0.4466	4.5	34.1	0.6052
E	N	C	W4	16	0.403	1.466	0.3049	-0.046	0.069	0.0193	-5.7	6.8	0.0046	-34.7	41.8	0.0047
E	N	C	W6	16	0.148	0.978	0.5676	-0.028	0.092	0.2393	-3.0	9.5	0.2350	-11.3	51.6	0.3972
E	N	C	W8	16	0.147	1.386	0.6873	-0.017	0.053	0.2346	-1.8	8.0	0.3851	-3.8	45.3	0.7452

STATISTICS

Table 2b: CHANGES FROM BASELINE
Breakdown Table of Descriptive Statistics (cfbdata in WrinkleStats.stw)

SITE	SAMPLE	TRTMNT	VISIT	N	Rz			Ra			Fspace			FNUM		
					Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)
E	P	A	W2	14	-1.4	21.9	0.8163	-0.7	4.8	0.5894	0.019	0.422	0.8689	0.018	0.106	0.5380
E	P	A	W4	14	22.2	27.1	0.0091	3.4	5.5	0.0363	-0.058	0.360	0.5593	0.065	0.093	0.0213
E	P	A	W6	14	11.9	39.7	0.2833	1.6	7.9	0.4663	-0.080	0.373	0.4364	0.062	0.154	0.1550
E	P	A	W8	14	-4.3	43.2	0.7127	-0.7	8.8	0.7792	0.010	0.438	0.9342	0.042	0.147	0.3043
E	P	B	W2	15	-0.4	30.5	0.9569	-0.3	6.5	0.8695	0.094	0.340	0.3020	-0.021	0.147	0.5820
E	P	B	W4	15	2.0	45.8	0.8686	-0.1	8.5	0.9500	0.115	0.383	0.2659	0.002	0.172	0.9647
E	P	B	W6	15	-9.0	36.9	0.3639	-2.1	8.4	0.3610	0.128	0.411	0.2468	-0.025	0.173	0.5890
E	P	B	W8	15	-11.7	35.4	0.2205	-2.9	7.6	0.1672	0.117	0.335	0.1977	-0.046	0.131	0.1953
E	P	C	W2	16	0.0	27.9	0.9979	0.0	6.0	0.9935	0.043	0.326	0.6091	-0.003	0.127	0.9382
E	P	C	W4	16	7.0	37.4	0.4637	1.3	8.6	0.5548	0.111	0.293	0.1517	-0.033	0.154	0.4123
E	P	C	W6	16	-7.1	27.9	0.3222	-2.2	5.9	0.1632	0.128	0.343	0.1569	-0.056	0.116	0.0710
E	P	C	W8	16	-17.2	28.2	0.0275	-4.2	5.2	0.0052	0.152	0.279	0.0461	-0.048	0.133	0.1698

SITE	SAMPLE	TRTMNT	VISIT	N	Spacing			Breadth			Shadows			NumWr		
					Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)
E	P	A	W2	14	0.382	0.484	0.0113	-0.007	0.029	0.3715	-1.5	3.7	0.1688	-14.3	45.0	0.2566
E	P	A	W4	14	-0.032	0.386	0.7585	-0.018	0.033	0.0585	0.4	3.1	0.6600	12.1	36.8	0.2383
E	P	A	W6	14	0.236	1.302	0.5100	-0.018	0.034	0.0666	-0.2	5.9	0.8903	5.3	74.9	0.7958
E	P	A	W8	14	0.680	1.313	0.0748	-0.010	0.054	0.5164	-1.3	6.5	0.4800	-22.7	76.4	0.2861
E	P	B	W2	14	0.157	0.464	0.2275	-0.005	0.044	0.6927	-0.2	5.5	0.8939	6.0	52.3	0.6637
E	P	B	W4	14	0.296	0.872	0.2265	-0.011	0.037	0.2678	-1.3	6.3	0.4407	-4.5	61.2	0.7782
E	P	B	W6	15	0.413	0.980	0.1249	-0.013	0.054	0.3629	-2.7	6.1	0.1056	-24.3	56.8	0.1194
E	P	B	W8	15	0.881	1.320	0.0216	0.000	0.047	0.9871	-2.2	6.3	0.2094	-27.3	49.9	0.0523
E	P	C	W2	16	0.112	0.629	0.4883	0.003	0.034	0.7648	0.2	3.7	0.8428	-3.1	31.5	0.7025
E	P	C	W4	15	0.290	0.746	0.1545	-0.007	0.040	0.4643	-1.1	6.3	0.4902	-20.1	64.6	0.2316
E	P	C	W6	16	0.652	1.231	0.0511	-0.010	0.038	0.3054	-2.4	4.2	0.0368	-26.3	64.6	0.1241
E	P	C	W8	16	0.239	0.719	0.2039	-0.010	0.042	0.3776	-3.6	3.7	0.0015	-42.8	60.2	0.0124

STATISTICS

Table 2c: CHANGES FROM BASELINE
Breakdown Table of Descriptive Statistics (cfbdata in WrinkleStats.stw)

SITE	SAMPLE	TRTMNT	VISIT	N	Rz			Ra			Fspace			FNUM		
					Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)
V	N	A	W2	14	-13.3	21.4	0.0371	-3.5	5.0	0.0208	-0.289	0.482	0.0432	0.019	0.136	0.6178
V	N	A	W4	14	4.8	26.6	0.5100	0.6	6.4	0.7183	0.045	0.676	0.8058	0.033	0.112	0.2906
V	N	A	W6	14	-14.4	27.1	0.0695	-2.3	6.4	0.2088	0.082	0.611	0.6228	-0.032	0.102	0.2611
V	N	A	W8	14	-4.6	25.2	0.5039	-1.9	6.5	0.2911	-0.003	0.575	0.9869	0.024	0.125	0.4935
V	N	B	W2	15	1.3	22.5	0.8296	-0.8	6.9	0.6615	0.027	0.569	0.8544	0.017	0.127	0.6056
V	N	B	W4	15	4.2	28.0	0.5717	-0.4	7.2	0.8437	-0.034	0.564	0.8164	0.047	0.135	0.1963
V	N	B	W6	15	-1.3	28.4	0.8669	-0.8	6.8	0.6702	0.039	0.280	0.5932	0.001	0.164	0.9753
V	N	B	W8	15	-10.8	37.7	0.2853	-2.5	10.2	0.3640	-0.073	0.349	0.4304	0.006	0.126	0.8565
V	N	C	W2	16	1.0	36.4	0.9182	-2.6	8.8	0.2563	0.059	0.586	0.6914	0.043	0.186	0.3693
V	N	C	W4	16	-4.4	36.7	0.6414	-2.4	8.2	0.2598	0.065	0.482	0.5978	0.018	0.176	0.6868
V	N	C	W6	16	-14.7	34.7	0.1113	-5.1	9.0	0.0394	0.060	0.860	0.7836	0.026	0.135	0.4606
V	N	C	W8	16	-6.3	34.0	0.4720	-2.2	8.5	0.3182	0.199	0.663	0.2478	0.009	0.184	0.8519

SITE	SAMPLE	TRTMNT	VISIT	N	Spacing			Breadth			Shadows			NumWr		
					Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)
V	N	A	W2	14	-0.064	0.830	0.7764	-0.020	0.038	0.0632	-1.9	4.3	0.1248	-12.4	44.3	0.3160
V	N	A	W4	14	0.108	0.681	0.5637	-0.005	0.029	0.5325	-1.6	3.2	0.0878	-13.0	36.8	0.2091
V	N	A	W6	14	0.273	0.487	0.0562	0.006	0.036	0.5816	-2.0	3.6	0.0508	-25.5	42.7	0.0438
V	N	A	W8	14	0.211	0.661	0.2533	-0.016	0.058	0.3130	-1.8	4.7	0.1821	-19.9	37.2	0.0671
V	N	B	W2	15	-0.017	0.567	0.9079	-0.030	0.065	0.0933	0.0	3.8	0.9947	2.9	33.2	0.7427
V	N	B	W4	15	0.085	0.633	0.6097	-0.053	0.067	0.0087	-1.3	5.1	0.3477	1.3	37.6	0.8926
V	N	B	W6	15	0.004	0.689	0.9824	-0.042	0.074	0.0453	-1.4	4.0	0.2079	-6.5	45.6	0.5919
V	N	B	W8	15	-0.083	0.961	0.7422	-0.051	0.093	0.0516	-2.2	5.6	0.1507	-19.5	41.7	0.0922
V	N	C	W2	16	-0.097	0.557	0.4952	-0.037	0.060	0.0272	-1.7	5.6	0.2456	13.3	48.4	0.2882
V	N	C	W4	16	0.267	1.095	0.3454	-0.031	0.052	0.0324	-2.7	3.8	0.0122	-19.0	48.0	0.1345
V	N	C	W6	16	0.282	0.745	0.1508	-0.038	0.070	0.0463	-4.0	6.0	0.0178	-22.6	46.5	0.0707
V	N	C	W8	16	0.276	0.651	0.1107	-0.024	0.064	0.1568	-2.1	5.5	0.1460	-13.6	47.5	0.2689

STATISTICS

Table 2d: CHANGES FROM BASELINE
Breakdown Table of Descriptive Statistics (cfbdata in WrinkleStats.stw)

SITE	SAMPLE	TRTMNT	VISIT	N	Rz			Ra			Fspace			FNUM		
					Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)
V	P	A	W2	14	7.5	41.4	0.5090	1.0	7.5	0.6405	0.070	0.434	0.5579	-0.006	0.131	0.8571
V	P	A	W4	14	7.2	28.8	0.3688	1.5	5.4	0.3342	-0.046	0.546	0.7597	-0.007	0.171	0.8781
V	P	A	W6	14	13.9	35.8	0.1687	2.5	7.0	0.2096	0.189	0.503	0.1845	-0.005	0.165	0.9117
V	P	A	W8	14	14.0	49.3	0.3082	2.6	10.2	0.3541	0.065	0.608	0.6956	0.037	0.189	0.4753
V	P	B	W2	15	7.4	34.1	0.4162	1.1	7.2	0.5632	-0.046	0.437	0.6908	0.043	0.149	0.2780
V	P	B	W4	15	9.2	45.3	0.4452	1.4	8.4	0.5387	0.106	0.605	0.5070	0.015	0.139	0.6890
V	P	B	W6	15	8.5	35.0	0.3644	1.5	7.1	0.4370	-0.145	0.352	0.1341	0.035	0.112	0.2505
V	P	B	W8	15	6.5	39.9	0.5366	1.4	8.8	0.5538	-0.134	0.448	0.2682	0.068	0.189	0.1850
V	P	C	W2	16	2.0	31.3	0.7995	-0.2	6.2	0.8931	-0.039	0.300	0.6137	0.023	0.109	0.4228
V	P	C	W4	16	14.8	40.9	0.1669	2.6	8.0	0.2078	0.048	0.462	0.6859	0.008	0.138	0.8306
V	P	C	W6	16	8.7	32.1	0.2963	1.5	6.5	0.3690	-0.022	0.489	0.8580	-0.010	0.155	0.8001
V	P	C	W8	16	4.2	38.0	0.6625	0.2	7.2	0.9126	-0.149	0.395	0.1525	0.048	0.126	0.1510

SITE	SAMPLE	TRTMNT	VISIT	N	Spacing			Breadth			Shadows			NumWr		
					Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)	Means	Std.Dev.	P(t)
V	P	A	W2	14	0.610	0.915	0.0414	0.001	0.052	0.9498	0.7	4.6	0.6027	1.6	54.8	0.9123
V	P	A	W4	14	0.092	0.744	0.6635	0.001	0.036	0.9007	-0.6	2.2	0.3215	-9.1	32.2	0.3070
V	P	A	W6	14	0.371	1.311	0.3476	-0.011	0.031	0.2103	0.3	3.8	0.7907	0.9	55.6	0.9511
V	P	A	W8	14	0.551	1.212	0.1848	0.009	0.069	0.6450	0.9	5.5	0.5445	3.9	66.3	0.8279
V	P	B	W2	15	0.417	1.290	0.2311	-0.008	0.039	0.4516	0.1	4.5	0.9644	2.7	55.3	0.8508
V	P	B	W4	15	1.052	1.236	0.0053	-0.003	0.053	0.8282	0.6	5.5	0.7037	-3.7	55.1	0.8005
V	P	B	W6	15	0.635	1.042	0.0403	-0.011	0.056	0.4734	-0.4	4.7	0.7730	-0.9	44.6	0.9366
V	P	B	W8	15	0.681	1.793	0.1789	-0.009	0.049	0.4821	-0.2	5.6	0.9174	-2.9	53.2	0.8340
V	P	C	W2	16	0.500	1.327	0.1521	0.009	0.037	0.3503	0.8	4.4	0.4758	2.8	52.2	0.8359
V	P	C	W4	16	0.455	1.819	0.3497	0.009	0.027	0.2323	1.3	5.0	0.3153	9.5	59.2	0.5308
V	P	C	W6	16	-0.097	1.380	0.7962	0.017	0.039	0.1021	1.3	4.6	0.2660	6.0	47.0	0.6172
V	P	C	W8	16	-0.088	0.981	0.7525	0.008	0.044	0.4537	0.7	4.4	0.5276	4.4	58.3	0.7651

STATISTICS

Table 3a: Percent Improvement Calculations


SITE	SAMPLE	TRTMNT	VISIT	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
E	N	A	W2	-3.3	-1.1	2.2	-5.7	-6.7	4.5	4.8	2.1
E	N	A	W4	18.6	16.1	2.2	1.7	59.0	8.4	39.5	46.8
E	N	A	W6	7.6	7.9	6.4	9.2	6.2	4.7	22.5	18.5
E	N	A	W8	0.5	1.4	4.5	-10.7	-13.7	4.7	12.0	10.8
E	N	B	W2	8.5	12.9	6.6	1.6	10.6	10.6	27.5	18.4
E	N	B	W4	6.7	11.2	1.0	-1.2	6.6	10.3	32.8	27.2
E	N	B	W6	7.6	7.7	7.0	2.8	22.4	3.6	16.0	21.3
E	N	B	W8	8.3	10.0	9.7	11.3	12.4	7.7	23.7	27.2
E	N	C	W2	3.7	11.0	1.3	2.1	9.1	9.7	10.6	-4.4
E	N	C	W4	19.2	23.7	11.3	11.5	33.1	19.8	43.1	33.7
E	N	C	W6	4.4	13.2	4.3	5.3	12.1	12.3	22.4	10.9
E	N	C	W8	-2.7	1.1	2.9	7.7	12.1	7.2	13.7	3.6
E	P	A	W2	1.3	3.4	1.1	-3.7	29.9	4.2	21.4	15.3
E	P	A	W4	-20.4	-16.2	-3.5	-13.5	-2.5	10.7	-5.5	-13.0
E	P	A	W6	-10.9	-7.5	-4.8	-12.9	18.5	10.7	3.3	-5.6
E	P	A	W8	4.0	3.2	0.6	-8.8	53.2	5.7	18.8	24.3
E	P	B	W2	0.4	1.2	6.2	4.0	13.1	2.7	2.4	-6.3
E	P	B	W4	-1.7	0.6	7.5	-0.4	24.6	6.3	16.3	4.7
E	P	B	W6	7.6	8.9	8.4	4.6	34.3	7.5	34.4	25.5
E	P	B	W8	9.9	12.4	7.7	8.5	73.2	-0.1	27.2	28.6
E	P	C	W2	0.0	0.1	2.9	0.4	10.5	-1.5	-2.1	2.7
E	P	C	W4	-6.0	-5.5	7.5	5.8	27.3	4.2	12.6	17.6
E	P	C	W6	6.1	9.1	8.6	10.0	61.4	5.7	27.2	23.1
E	P	C	W8	14.6	17.9	10.2	8.6	22.5	5.3	40.8	37.5

STATISTICS


Table 3b: Percent Improvement Calculations

SITE	SAMPLE	TRTMNT	VISIT	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
V	N	A	W2	9.4	12.5	-15.2	-4.6	-5.5	9.9	19.2	11.7
V	N	A	W4	-3.4	-2.2	2.4	-8.1	9.2	2.4	15.9	12.3
V	N	A	W6	10.2	8.1	4.3	7.9	23.2	-2.7	20.8	24.2
V	N	A	W8	3.3	6.9	-0.1	-5.8	18.0	7.9	18.0	18.8
V	N	B	W2	-0.9	2.7	1.6	-4.4	-1.4	11.4	-0.1	-3.0
V	N	B	W4	-3.0	1.3	-2.0	-12.0	7.0	20.0	11.6	-1.4
V	N	B	W6	0.9	2.6	2.3	-0.3	0.3	15.9	12.6	6.7
V	N	B	W8	7.7	8.3	-4.2	-1.5	-6.8	19.3	20.1	20.3
V	N	C	W2	-0.7	8.5	3.4	-11.3	-8.3	15.3	14.7	-13.5
V	N	C	W4	3.1	7.9	3.7	-4.7	22.7	12.9	23.2	19.3
V	N	C	W6	10.4	16.7	3.5	-6.7	24.0	15.9	34.4	22.9
V	N	C	W8	4.4	7.2	11.5	-2.3	23.4	10.1	18.2	13.8
V	P	A	W2	-8.9	-5.7	4.2	1.4	41.1	-0.5	-18.9	-3.4
V	P	A	W4	-8.5	-8.7	-2.7	1.5	6.2	-0.7	17.2	19.2
V	P	A	W6	-16.6	-14.7	11.4	1.1	25.0	6.4	-8.0	-1.9
V	P	A	W8	-16.6	-15.5	3.9	-7.8	37.1	-5.2	-26.2	-8.2
V	P	B	W2	-7.9	-5.7	-2.7	-10.0	30.6	3.9	-1.0	-4.5
V	P	B	W4	-9.9	-7.0	6.2	-3.4	77.1	1.5	-10.5	6.0
V	P	B	W6	-9.1	-7.5	-8.4	-8.0	46.5	5.4	6.7	1.5
V	P	B	W8	-7.0	-7.0	-7.7	-15.6	49.9	4.5	2.9	4.8
V	P	C	W2	-2.4	1.2	-2.2	-4.7	29.7	-5.2	-22.4	-5.4
V	P	C	W4	-17.2	-14.9	2.7	-1.6	27.0	-5.0	-35.8	-18.5
V	P	C	W6	-10.1	-8.5	-1.3	2.1	-5.8	-10.0	-36.9	-11.7
V	P	C	W8	-4.9	-1.1	-8.5	-9.9	-5.2	-4.9	-19.8	-8.6


Plot of Means
Rz Parameter
Eye Area




Plot of Means
NumWr Parameter
 Eye Area



Plot of Means
Rz Parameter
Vertical Forehead



Plot of Means
NumWr Parameter
 Vertical Forehead



Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
1	BL	E	A	N	136.3	24.4	1.726	0.33	1.051	0.196	7.1	86
1	W2	E	A	N	125.1	21.0	2.470	0.37	1.371	0.173	7.0	90
1	W4	E	A	N	76.9	15.4	2.143	0.38	1.719	0.122	2.9	43
1	W6	E	A	N	75.3	14.2	1.558	0.44	1.613	0.158	1.3	23
1	W8	E	A	N	52.5	10.2	1.295	0.61		0.128	0.4	2
1	BL	E	A	P	85.3	16.3	1.678	0.37	1.486	0.201	1.8	24
1	W2	E	A	P	78.9	15.8	1.620	0.53	2.264	0.174	2.3	38
1	W4	E	A	P	70.3	13.0	1.418	0.57	1.224	0.084	2.2	33
1	W6	E	A	P	85.1	14.9	1.420	0.48	2.526	0.130	1.5	26
1	W8	E	A	P	92.0	16.1	1.436	0.60	1.299	0.087	2.3	42
1	BL	V	A	N	94.2	17.8	1.260	0.29	3.042	0.224	4.0	34
1	W2	V	A	N	110.5	19.9	1.445	0.35	1.134	0.181	5.7	62
1	W4	V	A	N	124.2	23.3	2.550	0.29	1.323	0.197	4.9	50
1	W6	V	A	N	79.3	15.6	1.662	0.27	3.121	0.192	1.7	17
1	W8	V	A	N	119.2	21.6	1.503	0.47	1.515	0.160	3.7	54
1	BL	V	A	P	81.1	16.4	1.750	0.38	1.553	0.151	1.4	22
1	W2	V	A	P	100.9	18.1	1.647	0.46	2.622	0.183	4.4	43
1	W4	V	A	P	71.7	13.6	1.355	0.60	1.955	0.158	1.0	13
1	W6	V	A	P	68.7	12.3	2.478	0.37		0.124	0.3	2
1	W8	V	A	P	74.6	13.5	1.220	0.68	2.509	0.150	1.6	17
2	BL	E	B	N	67.8	14.7	1.927	0.30	3.122	0.223	1.8	16
2	W2	E	B	N	91.8	17.1	1.625	0.51	2.953	0.182	3.3	36
2	W4	E	B	N	90.8	17.8	1.460	0.62	1.879	0.117	2.3	38
2	W6	E	B	N	66.4	15.0	1.826	0.49	2.786	0.097	1.7	28
2	W8	E	B	N	107.2	20.0	2.119	0.35	1.642	0.180	3.9	55
2	BL	E	B	P	137.7	26.8	0.983	0.79	1.057	0.131	5.3	95
2	W2	E	B	P	139.8	26.3	1.110	0.76	0.841	0.148	7.1	117
2	W4	E	B	P	75.3	16.6	1.491	0.49	0.628	0.124	1.2	19
2	W6	E	B	P	92.1	17.8	1.585	0.52	2.285	0.092	2.5	42
2	W8	E	B	P	120.0	22.8	1.567	0.62	1.362	0.163	5.5	76
2	BL	V	B	N	121.8	27.9	1.532	0.25	1.121	0.335	7.2	44
2	W2	V	B	N	89.4	17.7	2.155	0.28	1.420	0.205	4.3	53
2	W4	V	B	N	124.5	25.7	1.528	0.37	1.275	0.155	5.5	76
2	W6	V	B	N	92.7	18.9	1.452	0.54	1.833	0.190	3.7	46
2	W8	V	B	N	71.7	14.0	2.287	0.38	3.546	0.190	1.3	18
2	BL	V	B	P	70.1	15.8	1.582	0.44	0.987	0.174	0.9	11
2	W2	V	B	P	55.5	11.4	1.581	0.32	2.973	0.196	0.9	13
2	W4	V	B	P	60.6	13.9	1.642	0.45	4.071	0.255	1.0	8
2	W6	V	B	P	78.8	15.8	1.944	0.44	2.895	0.282	2.0	18
2	W8	V	B	P	53.6	10.5	1.395	0.42	1.726	0.143	0.4	7
3	BL	E	C	N	132.8	26.0	1.902	0.37	0.929	0.179	9.1	100
3	W2	E	C	N	94.6	17.7	1.772	0.49	1.411	0.165	3.9	55
3	W4	E	C	N	95.8	18.6	1.446	0.54	1.418	0.153	5.0	69
3	W6	E	C	N	101.0	17.6	1.609	0.50	1.641	0.126	3.4	52
3	W8	E	C	N	179.6	36.7	1.516	0.52	0.673	0.196	14.1	151
3	BL	E	C	P	95.7	19.6	1.585	0.45	1.229	0.150	4.6	67
3	W2	E	C	P	97.8	19.9	1.471	0.45	1.820	0.169	4.6	64
3	W4	E	C	P	170.8	34.8	1.337	0.48	0.766	0.183	11.9	127
3	W6	E	C	P	82.6	16.1	1.611	0.38	1.685	0.094	2.3	46
3	W8	E	C	P	75.0	16.0	1.475	0.62	0.937	0.118	1.1	17
3	BL	V	C	N	115.0	23.1	1.317	0.14	1.158	0.247	6.3	48
3	W2	V	C	N	133.8	24.1	1.106	0.57	0.765	0.142	8.0	129
3	W4	V	C	N	137.6	26.6	1.789	0.41	1.636	0.159	5.5	79
3	W6	V	C	N	93.2	18.0	2.309	0.29	2.788	0.135	2.8	40
3	W8	V	C	N	77.4	16.3	2.025	0.37	2.016	0.158	3.8	53
3	BL	V	C	P	46.2	10.0	1.804	0.44	0.390	0.141	0.3	4
3	W2	V	C	P	69.0	13.2	1.734	0.43	3.127	0.173	3.1	32
3	W4	V	C	P	82.6	15.3	1.775	0.52	1.746	0.167	2.3	28
3	W6	V	C	P	51.9	10.9	1.486	0.50	0.179	0.105	0.4	4
3	W8	V	C	P	98.3	19.4	1.543	0.59	1.182	0.139	7.1	110
5	BL	E	B	N	133.3	24.1	1.474	0.43	0.966	0.177	8.2	103
5	W2	E	B	N	138.3	25.6	1.700	0.44	0.735	0.183	11.2	145
5	W4	E	B	N	128.7	22.9	2.091	0.41	1.269	0.177	5.9	86
5	W6	E	B	N	162.8	30.2	1.532	0.56	0.669	0.177	12.4	163
5	W8	E	B	N	111.2	19.0	1.975	0.42	1.499	0.174	4.6	68
5	BL	E	B	P	85.3	15.6	1.525	0.47	1.201	0.162	3.3	52
5	W2	E	B	P	85.3	15.4	1.712	0.44	1.522	0.177	3.6	48

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
5	W4	E	B	P	73.9	14.5	1.914	0.37	3.673	0.153	1.5	27
5	W6	E	B	P	104.3	18.0	1.364	0.54	2.055	0.165	4.3	63
5	W8	E	B	P	76.6	14.2	2.239	0.36	2.767	0.156	1.2	20
5	BL	V	B	N	89.0	16.0	1.500	0.34	1.564	0.154	1.6	23
5	W2	V	B	N	111.3	18.8	1.319	0.37	1.609	0.154	4.1	63
5	W4	V	B	N	104.6	18.0	1.617	0.51	1.510	0.144	3.9	67
5	W6	V	B	N	124.5	24.4	1.806	0.26	0.940	0.182	6.8	88
5	W8	V	B	N	135.1	26.7	1.199	0.16	1.035	0.221	7.4	70
5	BL	V	B	P	66.4	13.1	1.522	0.21	0.667	0.307	1.5	13
5	W2	V	B	P	122.7	20.8	1.403	0.32	0.847	0.206	5.5	70
5	W4	V	B	P	156.2	28.0	1.680	0.35	1.036	0.227	8.7	83
5	W6	V	B	P	107.7	21.8	0.933	0.19	0.548	0.196	6.0	65
5	W8	V	B	P	84.6	16.1	2.060	0.41	5.463	0.188	1.8	19
6	BL	E	C	N	154.4	29.4	1.867	0.48	0.691	0.233	13.2	151
6	W2	E	C	N	196.8	46.1	1.656	0.61	0.691	0.283	24.1	166
6	W4	E	C	N	82.0	18.6	2.450	0.34	1.267	0.134	5.0	59
6	W6	E	C	N	185.4	37.1	1.855	0.46	0.840	0.287	16.5	133
6	W8	E	C	N	202.9	42.3	1.521	0.61	0.772	0.307	21.3	141
6	BL	E	C	P	162.1	32.9	1.508	0.59	0.730	0.205	12.3	151
6	W2	E	C	P	108.7	22.8	2.213	0.46	1.225	0.202	7.1	98
6	W4	E	C	P	202.0	46.6	1.207	0.79	0.612	0.227	21.1	178
6	W6	E	C	P	135.3	25.7	1.606	0.49	0.978	0.234	9.1	113
6	W8	E	C	P	134.2	25.2	1.844	0.46	1.154	0.202	7.0	95
6	BL	V	C	N	176.4	45.5	1.789	0.43	0.757	0.291	25.3	142
6	W2	V	C	N	177.8	36.9	1.632	0.44	0.795	0.254	14.8	144
6	W4	V	C	N	207.7	54.6	2.018	0.52	0.834	0.331	23.3	134
6	W6	V	C	N	108.7	20.1	1.475	0.38	1.158	0.172	6.1	87
6	W8	V	C	N	176.0	40.2	2.005	0.30	0.969	0.313	18.1	107
6	BL	V	C	P	88.9	19.3	1.726	0.49	0.911	0.163	5.7	90
6	W2	V	C	P	140.2	28.8	1.691	0.58	0.589	0.221	16.3	185
6	W4	V	C	P	120.8	23.9	1.931	0.39	1.231	0.223	7.5	102
6	W6	V	C	P	170.6	34.3	1.679	0.57	0.729	0.227	13.8	153
6	W8	V	C	P	162.9	34.0	1.675	0.55	0.798	0.246	13.6	136
7	BL	E	A	N	130.1	23.7	1.484	0.47	0.781	0.184	9.2	128
7	W2	E	A	N	101.2	19.3	1.439	0.64	2.080	0.188	4.0	55
7	W4	E	A	N	62.3	11.6	1.581	0.43	1.101	0.141	0.6	7
7	W6	E	A	N	130.5	24.5	1.206	0.69	0.709	0.156	9.6	156
7	W8	E	A	N	147.5	28.3	1.221	0.71	0.635	0.147	9.3	154
7	BL	E	A	P	141.2	28.2	1.307	0.56	0.685	0.187	11.0	156
7	W2	E	A	P	104.7	19.3	1.257	0.57	2.131	0.166	3.3	55
7	W4	E	A	P	162.5	31.1	1.354	0.62	0.796	0.161	10.4	153
7	W6	E	A	P	150.2	30.5	1.180	0.73	0.922	0.157	8.3	127
7	W8	E	A	P	83.6	17.4	1.375	0.69	2.387	0.156	1.8	27
7	BL	V	A	N	169.5	35.6	1.399	0.67	0.698	0.232	13.2	151
7	W2	V	A	N	165.7	34.3	1.306	0.62	0.568	0.242	17.7	188
7	W4	V	A	N	198.8	41.7	1.623	0.60	0.725	0.228	14.9	154
7	W6	V	A	N	127.0	25.5	1.370	0.56	1.137	0.184	6.1	85
7	W8	V	A	N	176.8	33.4	1.277	0.65	0.844	0.198	10.7	127
7	BL	V	A	P	111.4	23.9	1.755	0.43	1.307	0.212	5.3	68
7	W2	V	A	P	107.6	20.9	1.853	0.45	1.146	0.201	6.4	84
7	W4	V	A	P	98.6	20.2	1.708	0.35	1.300	0.227	5.0	59
7	W6	V	A	P	131.1	25.5	1.518	0.49	0.970	0.186	6.7	87
7	W8	V	A	P	102.0	21.6	1.894	0.45	2.405	0.209	2.9	40
8	BL	E	B	N	129.0	24.5	1.743	0.29	1.123	0.266	9.2	80
8	W2	E	B	N	116.7	22.7	2.085	0.38	1.667	0.218	5.4	62
8	W4	E	B	N	146.8	28.3	1.760	0.28	0.953	0.243	10.2	103
8	W6	E	B	N	152.5	28.8	1.747	0.41	0.886	0.235	11.2	120
8	W8	E	B	N	98.5	18.6	1.856	0.29	1.225	0.136	3.6	64
8	BL	E	B	P	131.6	24.0	1.519	0.48	0.969	0.181	7.0	100
8	W2	E	B	P	115.6	22.2	2.101	0.35	1.412	0.187	6.3	83
8	W4	E	B	P	158.4	30.3	1.413	0.59	0.755	0.202	11.2	134
8	W6	E	B	P	115.7	22.6	1.749	0.49	1.362	0.173	4.8	80
8	W8	E	B	P	85.3	16.5	1.638	0.48	1.365	0.127	3.5	65
8	BL	V	B	N	127.7	25.4	2.339	0.17	2.784	0.350	6.1	33
8	W2	V	B	N	118.1	22.0	1.744	0.27	1.075	0.272	7.2	83
8	W4	V	B	N	125.5	24.8	2.444	0.31	1.673	0.242	6.9	68
8	W6	V	B	N	130.9	22.4	1.907	0.41	1.409	0.151	4.5	63

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
8	W8	V	B	N	86.0	17.6	1.620	0.25	0.675	0.185	2.7	37
8	BL	V	B	P	57.8	13.2	1.490	0.45	1.264	0.154	1.2	18
8	W2	V	B	P	113.5	23.8	1.375	0.58	1.035	0.197	7.8	99
8	W4	V	B	P	101.8	20.0	1.450	0.51	1.967	0.202	3.5	39
8	W6	V	B	P	65.0	13.1	1.830	0.42	4.116	0.147	1.5	21
8	W8	V	B	P	69.4	13.7	1.809	0.37	2.325	0.155	1.5	23
9	BL	E	C	N	132.5	25.0	1.206	0.71	0.864	0.200	9.7	126
9	W2	E	C	N	105.4	18.2	1.633	0.34	1.594	0.172	4.6	59
9	W4	E	C	N	93.1	17.4	1.442	0.29	0.956	0.157	4.4	48
9	W6	E	C	N	99.1	18.1	1.982	0.36	2.384	0.185	2.9	42
9	W8	E	C	N	100.3	19.0	1.848	0.40	2.106	0.137	2.3	36
9	BL	E	C	P	99.5	20.5	1.435	0.55	1.832	0.186	4.4	55
9	W2	E	C	P	84.6	17.4	1.803	0.36	1.374	0.139	2.6	44
9	W4	E	C	P	135.9	25.3	1.574	0.48	1.013	0.174	7.9	105
9	W6	E	C	P	84.1	15.4	1.672	0.40	2.771	0.173	2.4	33
9	W8	E	C	P	75.5	14.9	1.770	0.48	3.798	0.147	1.4	19
9	BL	V	C	N	136.4	27.6	1.771	0.36	1.201	0.223	7.8	78
9	W2	V	C	N	179.0	34.0	1.424	0.58	0.600	0.218	15.2	179
9	W4	V	C	N	146.4	28.1	1.936	0.42	1.231	0.231	8.5	96
9	W6	V	C	N	166.8	36.0	2.069	0.45	0.808	0.257	16.8	141
9	W8	V	C	N	121.6	24.7	1.556	0.43	1.162	0.227	8.2	91
9	BL	V	C	P	78.5	16.0	1.891	0.41	1.754	0.174	2.6	42
9	W2	V	C	P	108.2	23.5	1.642	0.46	0.808	0.236	6.0	75
9	W4	V	C	P	100.0	19.5	2.318	0.43	2.044	0.207	2.9	38
9	W6	V	C	P	113.2	23.1	1.901	0.51	1.213	0.196	6.6	91
9	W8	V	C	P	133.7	25.9	1.378	0.62	0.895	0.188	7.7	112
10	BL	E	A	N	145.7	30.3	1.313	0.57	0.722	0.232	15.3	154
10	W2	E	A	N	150.0	29.6	1.633	0.55	0.628	0.196	14.8	165
10	W4	E	A	N	140.3	28.4	1.754	0.36	0.878	0.192	10.8	117
10	W6	E	A	N	160.4	32.5	1.371	0.51	0.766	0.206	14.9	153
10	W8	E	A	N	111.0	21.9	1.546	0.52	1.065	0.182	8.9	99
10	BL	E	A	P	130.7	28.0	1.300	0.63	0.741	0.213	13.2	154
10	W2	E	A	P	136.1	26.2	1.889	0.49	0.858	0.175	10.4	147
10	W4	E	A	P	174.1	36.5	1.385	0.64	0.551	0.206	18.6	199
10	W6	E	A	P	112.4	21.9	1.398	0.62	1.149	0.128	5.5	92
10	W8	E	A	P	166.2	32.6	1.112	0.83	0.631	0.169	13.7	186
10	BL	V	A	N	140.7	27.4	2.373	0.41	1.336	0.192	7.1	76
10	W2	V	A	N	145.7	27.5	1.920	0.34	0.883	0.138	8.3	119
10	W4	V	A	N	170.1	33.3	2.726	0.37	1.237	0.176	8.1	98
10	W6	V	A	N	165.7	34.2	2.425	0.34	0.851	0.218	12.3	140
10	W8	V	A	N	160.9	36.1	2.469	0.37	0.956	0.322	17.1	116
10	BL	V	A	P	63.6	12.2	2.168	0.30		0.260	0.3	1
10	W2	V	A	P	60.9	13.6	2.036	0.41	2.221	0.132	0.8	10
10	W4	V	A	P	76.4	16.0	1.063	0.23	0.914	0.168	2.3	40
10	W6	V	A	P	161.4	32.1	1.395	0.63	0.685	0.210	11.3	150
10	W8	V	A	P	180.3	36.2	1.263	0.76	0.706	0.197	10.3	147
11	BL	E	B	N	51.8	11.1	1.799	0.32	3.036	0.214	0.9	8
11	W2	E	B	N	77.4	15.1	1.684	0.46	2.068	0.113	2.8	40
11	W4	E	B	N	91.1	16.6	1.333	0.59	2.247	0.119	2.0	27
11	W6	E	B	N	54.6	11.8	2.203	0.30			0.3	0
11	W8	E	B	N	65.0	14.5	2.293	0.23	2.314	0.141	1.0	13
11	BL	E	B	P	122.0	20.7	1.158	0.65	1.227	0.119	2.2	32
11	W2	E	B	P	73.5	14.9	1.949	0.39	2.102	0.130	2.1	37
11	W4	E	B	P	85.2	15.2	1.459	0.64	2.227	0.124	0.5	6
11	W6	E	B	P	144.2	26.6	1.472	0.59	1.576	0.138	4.6	68
11	W8	E	B	P	130.2	22.5	1.498	0.63	2.526	0.112	2.8	47
11	BL	V	B	N	122.3	26.0	2.805	0.25	1.742	0.289	8.9	62
11	W2	V	B	N	156.6	33.5	1.841	0.31	1.279	0.267	12.6	89
11	W4	V	B	N	170.1	32.8	1.354	0.51	0.759	0.193	9.9	112
11	W6	V	B	N	152.0	33.6	3.086	0.25	1.090	0.219	9.9	88
11	W8	V	B	N	157.3	39.1	2.651	0.29	1.179	0.286	12.6	77
11	BL	V	B	P	66.6	12.2	1.899	0.45	2.294	0.165	1.6	22
11	W2	V	B	P	64.5	12.5	1.362	0.62	2.657	0.153	1.5	17
11	W4	V	B	P	52.4	11.0	1.488	0.41	4.446	0.206	0.8	8
11	W6	V	B	P	52.5	12.7	1.493	0.55	3.262	0.189	1.6	15
11	W8	V	B	P	101.5	20.3	1.513	0.37	1.043	0.205	6.0	69
12	BL	E	C	N	50.0	8.3	1.671	0.40		0.147	0.5	6

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
12	W2	E	C	N	78.1	14.2	1.940	0.34	3.629	0.210	3.2	37
12	W4	E	C	N	49.3	9.7	1.918	0.46		0.131	0.2	1
12	W6	E	C	N	126.3	24.3	1.676	0.40	0.956	0.196	8.0	79
12	W8	E	C	N	56.9	11.0	1.834	0.39	1.909	0.087	1.2	19
12	BL	E	C	P	72.6	12.8	1.478	0.53	2.044	0.119	1.1	19
12	W2	E	C	P	108.0	18.6	1.566	0.52	1.706	0.150	2.9	45
12	W4	E	C	P	102.5	17.3	1.550	0.62	1.775	0.111	2.1	42
12	W6	E	C	P	106.0	20.7	1.515	0.43	1.181	0.162	5.2	70
12	W8	E	C	P	115.9	19.8	1.407	0.54	1.162	0.123	5.6	94
12	BL	V	C	N	121.9	24.2	1.348	0.62	0.751	0.176	9.6	132
12	W2	V	C	N	135.7	25.3	1.473	0.46	0.901	0.136	6.9	114
12	W4	V	C	N	126.9	21.5	1.723	0.36	1.767	0.155	3.7	41
12	W6	V	C	N	91.9	16.6	1.642	0.50	2.675	0.167	2.8	28
12	W8	V	C	N	83.9	17.1	1.669	0.34	1.913	0.163	1.6	24
12	BL	V	C	P	128.3	25.8	1.279	0.54	0.753	0.178	9.6	141
12	W2	V	C	P	61.8	12.5	1.549	0.58	3.166	0.127	0.9	11
12	W4	V	C	P	63.9	12.7	1.653	0.52	4.347	0.191	0.9	8
12	W6	V	C	P	101.3	19.6	1.380	0.56	1.547	0.151	3.4	48
12	W8	V	C	P	66.6	13.7	1.330	0.60		0.160	0.6	4
13	BL	E	A	N	146.9	28.1	1.449	0.64	0.586	0.177	13.4	194
13	W2	E	A	N	141.7	25.4	1.248	0.74	0.657	0.155	9.7	163
13	W4	E	A	N	85.8	15.4	1.297	0.66	2.539	0.144	2.4	33
13	W6	E	A	N	94.4	17.3	1.389	0.49	0.993	0.138	5.7	104
13	W8	E	A	N	151.1	28.5	1.408	0.67	0.485	0.195	15.9	227
13	BL	E	A	P	121.0	22.4	1.123	0.71	0.763	0.155	8.9	132
13	W2	E	A	P	103.1	19.9	1.381	0.62	1.240	0.146	5.1	83
13	W4	E	A	P	155.3	28.7	1.289	0.71	0.666	0.147	10.0	178
13	W6	E	A	P	146.1	25.9	1.515	0.46	0.518	0.150	12.1	201
13	W8	E	A	P	148.9	28.7	1.163	0.75	0.607	0.165	11.8	186
13	BL	V	A	N	194.9	41.6	2.189	0.44	0.829	0.232	14.1	132
13	W2	V	A	N	164.0	32.0	1.446	0.55	0.706	0.198	12.8	151
13	W4	V	A	N	161.5	29.0	1.758	0.56	0.925	0.160	8.4	135
13	W6	V	A	N	168.0	34.1	1.611	0.52	0.717	0.186	12.9	154
13	W8	V	A	N	191.5	38.0	1.751	0.49	0.686	0.189	14.0	171
13	BL	V	A	P	55.7	12.3	1.351	0.69	2.579	0.161	1.2	16
13	W2	V	A	P	89.8	16.4	1.671	0.54	2.224	0.150	2.6	37
13	W4	V	A	P	108.6	19.9	1.649	0.46	1.940	0.146	2.8	40
13	W6	V	A	P	87.4	18.2	1.326	0.65	1.449	0.142	4.3	59
13	W8	V	A	P	56.3	11.6	1.493	0.60	5.615	0.162	0.9	10
14	BL	E	B	N	159.5	32.6	1.138	0.54	0.618	0.231	15.2	158
14	W2	E	B	N	174.1	33.2	1.341	0.55	0.633	0.227	15.7	165
14	W4	E	B	N	79.0	15.7	1.186	0.54	1.707	0.173	2.9	44
14	W6	E	B	N	78.7	15.6	1.571	0.53	1.782	0.176	3.5	48
14	W8	E	B	N	87.1	16.3	2.006	0.39	1.903	0.173	2.9	44
14	BL	E	B	P	141.6	30.3	1.278	0.71	0.538	0.204	15.6	190
14	W2	E	B	P	115.5	23.0	1.496	0.42	1.359	0.183	5.9	85
14	W4	E	B	P	162.2	30.6	1.036	0.83	0.575	0.145	10.9	185
14	W6	E	B	P	129.0	23.1	1.295	0.63	1.182	0.148	6.3	101
14	W8	E	B	P	154.0	27.9	1.019	0.69	0.645	0.172	9.7	143
14	BL	V	B	N	135.5	38.9	1.917	0.35	1.009	0.337	18.4	92
14	W2	V	B	N	115.9	26.5	1.709	0.46	0.818	0.215	14.0	142
14	W4	V	B	N	172.6	52.3	1.454	0.29	1.133	0.414	28.5	98
14	W6	V	B	N	141.8	39.9	1.785	0.31	0.805	0.291	13.6	87
14	W8	V	B	N	145.1	39.4	1.760	0.27	0.824	0.279	17.3	108
14	BL	V	B	P	155.3	35.5	1.954	0.37	0.841	0.275	16.8	129
14	W2	V	B	P	206.0	49.6	1.350	0.69	0.866	0.272	14.2	101
14	W4	V	B	P	189.5	42.6	1.760	0.50	0.613	0.283	23.2	179
14	W6	V	B	P	179.1	43.0	1.444	0.54	1.098	0.200	7.5	81
14	W8	V	B	P	201.9	50.1	1.188	0.77	0.910	0.228	10.5	105
15	BL	E	C	N	200.6	48.9	1.279	0.63	0.689	0.349	27.7	155
15	W2	E	C	N	192.5	41.8	1.243	0.71	0.656	0.276	24.5	178
15	W4	E	C	N	219.3	52.3	1.075	0.83	0.652	0.327	31.4	175
15	W6	E	C	N	227.6	59.1	1.100	0.82	0.639	0.420	38.4	177
15	W8	E	C	N	191.2	44.5	1.139	0.62	0.712	0.277	22.7	153
15	BL	E	C	P	110.9	21.7	1.568	0.50	1.046	0.190	6.3	93
15	W2	E	C	P	108.2	22.6	1.756	0.36	0.894	0.211	10.6	105
15	W4	E	C	P	124.5	26.0	1.513	0.59	0.796	0.239	15.0	117

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
15	W6	E	C	P	133.9	27.1	1.475	0.60	0.742	0.214	11.4	138
15	W8	E	C	P	54.5	11.0	2.050	0.39	1.271	0.106	0.9	14
15	BL	V	C	N	188.6	43.1	1.579	0.54	0.646	0.297	22.6	164
15	W2	V	C	N	167.3	33.7	1.392	0.42	0.712	0.235	14.2	143
15	W4	V	C	N	166.6	36.2	1.696	0.42	0.701	0.256	17.2	140
15	W6	V	C	N	186.8	38.7	1.773	0.45	0.725	0.249	15.0	141
15	W8	V	C	N	154.1	32.0	1.654	0.37	0.787	0.246	12.7	125
15	BL	V	C	P	108.9	23.5	1.558	0.61	1.094	0.198	5.9	82
15	W2	V	C	P	136.5	27.7	1.876	0.52	0.764	0.214	10.7	142
15	W4	V	C	P	167.8	35.4	1.854	0.53	0.699	0.209	13.9	157
15	W6	V	C	P	123.1	24.1	1.543	0.50	1.320	0.211	6.9	88
15	W8	V	C	P	158.1	31.7	1.467	0.58	0.737	0.210	12.0	151
16	BL	E	A	N	163.6	32.6	1.083	0.79	0.448	0.183	18.1	228
16	W2	E	A	N	134.4	23.9	1.333	0.69	0.662	0.153	9.5	161
16	W4	E	A	N	119.3	20.6	1.242	0.66	0.986	0.151	5.5	92
16	W6	E	A	N	125.2	23.0	1.122	0.72	0.819	0.175	8.9	139
16	W8	E	A	N	125.7	23.6	1.161	0.73	0.660	0.156	10.0	163
16	BL	E	A	P	72.1	13.9	1.473	0.48	1.220	0.150	2.8	48
16	W2	E	A	P	101.2	19.0	1.160	0.55	1.082	0.160	4.8	89
16	W4	E	A	P	112.9	19.7	1.746	0.47	1.321	0.148	4.2	72
16	W6	E	A	P	150.8	27.2	1.224	0.71	0.595	0.151	11.8	184
16	W8	E	A	P	94.7	16.7	1.328	0.56	1.766	0.127	2.7	45
16	BL	V	A	N	185.6	39.5	2.208	0.46	0.663	0.227	19.9	166
16	W2	V	A	N	142.1	25.4	1.471	0.35	0.861	0.199	8.2	106
16	W4	V	A	N	196.9	44.8	1.554	0.66	0.605	0.259	21.6	182
16	W6	V	A	N	194.9	45.7	2.461	0.43	0.706	0.274	21.3	159
16	W8	V	A	N	149.9	28.1	1.997	0.37	0.943	0.216	10.7	108
16	BL	V	A	P	43.5	9.0	1.395	0.42	0.314	0.138	0.3	5
16	W2	V	A	P	165.5	30.1	1.907	0.52	0.675	0.215	13.0	148
16	W4	V	A	P	89.6	18.1	2.145	0.36	1.889	0.183	2.2	30
16	W6	V	A	P	86.9	17.7	2.327	0.45	3.695	0.164	2.5	28
16	W8	V	A	P	124.8	24.0	2.764	0.21	1.325	0.186	8.0	86
18	BL	E	C	N	189.5	45.7	1.328	0.56	0.643	0.279	24.6	166
18	W2	E	C	N	160.3	31.1	1.615	0.56	0.770	0.225	14.5	144
18	W4	E	C	N	144.6	28.5	1.508	0.53	0.811	0.182	9.5	132
18	W6	E	C	N	101.4	20.2	1.756	0.51	1.661	0.167	4.7	62
18	W8	E	C	N	189.9	40.0	1.377	0.57	0.611	0.248	20.0	169
18	BL	E	C	P	101.3	20.9	1.674	0.46	1.051	0.164	8.5	99
18	W2	E	C	P	112.6	22.3	1.536	0.30	0.945	0.228	8.5	88
18	W4	E	C	P	115.2	21.2	1.519	0.60	1.124	0.145	5.2	89
18	W6	E	C	P	137.1	25.2	1.260	0.62	1.045	0.174	7.4	104
18	W8	E	C	P	105.4	20.4	1.638	0.47	0.991	0.183	8.3	104
18	BL	V	C	N	177.5	51.9	3.382	0.21	1.644	0.415	21.9	64
18	W2	V	C	N	158.7	32.1	2.763	0.33	0.744	0.222	13.0	130
18	W4	V	C	N	178.6	39.8	2.205	0.47	0.784	0.289	19.3	124
18	W6	V	C	N	161.4	34.8	1.501	0.50	0.711	0.237	14.5	134
18	W8	V	C	N	177.8	44.1	2.307	0.25	0.948	0.244	19.2	125
18	BL	V	C	P	88.7	20.7	1.837	0.40	1.904	0.206	3.4	40
18	W2	V	C	P	63.4	13.7	1.827	0.51	2.709	0.168	1.9	25
18	W4	V	C	P	90.6	18.7	1.893	0.46	1.897	0.204	4.5	58
18	W6	V	C	P	103.5	20.9	1.395	0.58	2.354	0.204	3.9	53
18	W8	V	C	P	74.7	17.3	2.150	0.41	1.887	0.163	4.0	44
19	BL	E	A	N	112.4	21.3	1.535	0.47	0.764	0.159	8.8	133
19	W2	E	A	N	183.6	37.1	1.265	0.73	0.592	0.228	17.7	191
19	W4	E	A	N	193.4	40.9	1.312	0.71	0.502	0.258	23.8	226
19	W6	E	A	N	157.9	30.0	1.996	0.43	0.700	0.197	11.9	155
19	W8	E	A	N	107.8	18.9	2.038	0.45	1.381	0.152	3.8	67
19	BL	E	A	P	162.7	32.5	1.228	0.69	0.501	0.196	17.5	213
19	W2	E	A	P	139.8	26.1	1.422	0.57	0.700	0.184	10.4	157
19	W4	E	A	P	162.8	28.6	1.342	0.66	0.603	0.167	10.7	171
19	W6	E	A	P	131.4	23.9	1.340	0.70	0.795	0.173	8.3	133
19	W8	E	A	P	68.9	13.6	1.757	0.50	2.067	0.160	1.6	18
19	BL	V	A	N	152.1	27.8	1.669	0.37	0.983	0.192	8.6	110
19	W2	V	A	N	144.0	27.4	1.401	0.41	1.044	0.190	9.5	109
19	W4	V	A	N	171.8	29.6	2.121	0.37	0.985	0.198	9.5	116
19	W6	V	A	N	139.7	24.9	1.982	0.32	1.395	0.185	6.3	75
19	W8	V	A	N	101.8	15.5	1.965	0.38	1.735	0.127	2.4	35

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
19	BL	V	A	P	90.1	19.8	1.697	0.37	1.363	0.177	3.6	62
19	W2	V	A	P	92.9	16.8	1.900	0.38	2.789	0.184	3.5	46
19	W4	V	A	P	79.4	17.6	1.659	0.44	1.728	0.207	3.0	29
19	W6	V	A	P	63.6	13.3	1.523	0.49	1.234	0.134	1.4	20
19	W8	V	A	P	46.1	8.8	1.460	0.46		0.317	1.0	6
20	BL	E	B	N	187.2	39.1	1.162	0.68	0.488	0.215	20.0	213
20	W2	E	B	N	156.6	32.8	1.498	0.55	0.670	0.218	13.3	160
20	W4	E	B	N	135.4	24.7	1.680	0.52	0.830	0.191	8.9	137
20	W6	E	B	N	175.9	37.5	1.297	0.73	0.431	0.252	26.1	254
20	W8	E	B	N	167.1	33.9	1.339	0.61	0.450	0.198	19.3	243
20	BL	E	B	P	122.3	24.5	1.541	0.56	0.762	0.221	13.4	145
20	W2	E	B	P	166.0	34.4	1.590	0.58	0.568	0.238	19.0	203
20	W4	E	B	P	140.3	25.9	1.507	0.62	1.101	0.180	9.0	130
20	W6	E	B	P	143.6	28.8	1.777	0.53	0.634	0.214	14.4	182
20	W8	E	B	P	161.3	31.1	1.757	0.54	0.646	0.233	14.3	164
20	BL	V	B	N	175.0	36.2	1.592	0.52	0.643	0.230	17.6	176
20	W2	V	B	N	171.8	40.2	2.113	0.36	0.690	0.306	20.5	151
20	W4	V	B	N	195.7	41.9	1.421	0.56	0.761	0.236	14.4	146
20	W6	V	B	N	191.4	42.5	1.658	0.38	0.772	0.264	18.1	147
20	W8	V	B	N	159.0	34.9	1.381	0.41	0.832	0.278	15.3	127
20	BL	V	B	P	86.6	17.9	1.603	0.29	1.317	0.181	4.5	61
20	W2	V	B	P	129.0	25.7	1.468	0.57	0.794	0.212	10.6	141
20	W4	V	B	P	115.5	23.5	1.629	0.41	1.510	0.205	4.9	67
20	W6	V	B	P	84.0	16.7	1.868	0.43	2.061	0.165	3.1	47
20	W8	V	B	P	164.0	35.0	1.293	0.76	0.603	0.249	17.7	181
21	BL	E	C	N	91.6	17.1	2.007	0.31	0.873	0.154	3.8	47
21	W2	E	C	N	71.8	13.5	1.577	0.48	3.301	0.158	2.3	30
21	W4	E	C	N	81.1	14.0	2.068	0.32	3.516	0.133	1.1	12
21	W6	E	C	N	108.1	18.5	1.790	0.38	2.022	0.169	3.9	51
21	W8	E	C	N	98.5	18.1	1.467	0.38	1.873	0.177	3.6	45
21	BL	E	C	P	68.6	12.8	1.923	0.42	2.131	0.159	1.7	19
21	W2	E	C	P	84.9	16.5	1.210	0.70	4.307	0.130	2.1	26
21	W4	E	C	P	55.7	10.6	1.817	0.34		0.165	0.5	5
21	W6	E	C	P	56.4	10.7	1.523	0.43	4.059	0.200	0.8	8
21	W8	E	C	P	58.5	12.0	1.658	0.49	2.014	0.173	0.7	8
21	BL	V	C	N	121.0	22.9	2.021	0.47	1.273	0.186	7.2	88
21	W2	V	C	N	152.4	29.0	1.848	0.54	0.741	0.169	9.0	133
21	W4	V	C	N	141.5	21.8	1.707	0.50	1.229	0.135	4.0	66
21	W6	V	C	N	136.9	23.2	1.492	0.50	1.325	0.124	4.6	71
21	W8	V	C	N	110.1	18.7	2.031	0.42	2.009	0.143	2.9	42
21	BL	V	C	P	75.4	15.1	2.288	0.29	1.315	0.205	2.5	31
21	W2	V	C	P	79.7	16.1	2.369	0.31	1.254	0.212	2.2	28
21	W4	V	C	P	47.8	11.9	2.239	0.29	5.138	0.232	1.0	9
21	W6	V	C	P	56.6	10.1	2.380	0.33		0.199	0.7	3
21	W8	V	C	P	59.6	11.1	1.483	0.46	0.873	0.187	0.8	6
22	BL	E	A	N	73.5	15.0	1.879	0.37	3.073	0.200	2.6	30
22	W2	E	A	N	127.3	22.5	1.896	0.32	0.950	0.190	7.6	98
22	W4	E	A	N	91.5	18.7	1.542	0.54	1.846	0.155	2.8	32
22	W6	E	A	N	109.7	20.5	2.115	0.32	1.181	0.173	7.4	91
22	W8	E	A	N	100.3	19.4	1.613	0.53	1.524	0.160	3.6	44
22	BL	E	A	P	101.8	18.4	2.534	0.30	1.694	0.179	5.0	66
22	W2	E	A	P	103.1	19.0	2.113	0.43	1.516	0.158	4.5	72
22	W4	E	A	P	151.1	29.8	1.483	0.57	0.902	0.159	10.2	148
22	W6	E	A	P	110.7	21.1	1.629	0.51	1.091	0.145	6.1	83
22	W8	E	A	P	114.4	21.2	1.543	0.49	1.304	0.147	4.8	78
22	BL	V	A	N	91.9	17.3	1.673	0.45	2.460	0.156	4.3	62
22	W2	V	A	N	122.6	22.9	1.353	0.46	0.923	0.135	5.6	96
22	W4	V	A	N	105.8	20.6	2.074	0.41	1.979	0.160	4.0	47
22	W6	V	A	N	85.4	15.9	1.466	0.51	2.464	0.158	2.7	38
22	W8	V	A	N	77.2	14.0	1.428	0.58	3.102	0.112	1.7	19
22	BL	V	A	P	101.3	19.2	1.136	0.79	0.762	0.135	7.2	119
22	W2	V	A	P	76.6	17.0	1.819	0.46	2.969	0.178	3.0	37
22	W4	V	A	P	128.3	25.2	1.633	0.38	0.986	0.181	7.2	81
22	W6	V	A	P	77.7	15.0	1.662	0.36	2.466	0.161	1.8	19
22	W8	V	A	P	109.0	18.6	1.511	0.53	1.525	0.140	3.3	48
23	BL	E	B	N	140.1	25.2	1.620	0.46	0.710	0.197	10.8	130
23	W2	E	B	N	61.5	11.9	2.019	0.33	1.732	0.143	2.1	33

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
23	W4	E	B	N	138.9	24.7	1.610	0.47	0.928	0.192	6.7	91
23	W6	E	B	N	114.7	21.9	1.606	0.43	1.196	0.201	6.8	91
23	W8	E	B	N	52.1	9.7	1.519	0.44	1.360	0.163	0.6	8
23	BL	E	B	P	78.8	15.0	1.334	0.43	1.314	0.133	2.5	38
23	W2	E	B	P	119.9	22.3	1.340	0.60	0.869	0.136	7.2	108
23	W4	E	B	P	110.8	20.7	1.230	0.72	2.409	0.146	1.9	34
23	W6	E	B	P	92.2	17.9	1.538	0.46	3.366	0.155	1.1	15
23	W8	E	B	P	60.8	11.2	1.431	0.59	2.783	0.169	0.6	8
23	BL	V	B	N	116.9	27.0	1.668	0.27	1.679	0.402	6.6	35
23	W2	V	B	N	111.8	22.3	2.571	0.29	2.598	0.279	4.5	35
23	W4	V	B	N	87.8	17.7	2.085	0.23	2.733	0.297	2.7	17
23	W6	V	B	N	140.3	30.7	1.557	0.37	1.325	0.266	8.4	68
23	W8	V	B	N	55.2	10.6	1.592	0.47	0.459	0.130	0.2	4
23	BL	V	B	P	58.9	12.3	1.710	0.49	0.546	0.146	0.8	7
23	W2	V	B	P	71.1	14.3	1.715	0.54	2.457	0.147	0.7	10
23	W4	V	B	P	76.6	15.0	2.302	0.38	3.344	0.150	1.7	23
23	W6	V	B	P	138.3	27.5	1.362	0.63	1.044	0.189	6.1	89
23	W8	V	B	P	59.8	11.9	2.109	0.42	4.266	0.160	0.4	5
24	BL	E	C	N	117.4	20.8	1.654	0.37	1.129	0.157	4.1	64
24	W2	E	C	N	78.3	16.4	1.650	0.48	1.992	0.185	3.4	42
24	W4	E	C	N	80.5	17.1	1.624	0.47	3.365	0.155	1.1	16
24	W6	E	C	N	96.9	18.5	1.948	0.33	1.302	0.175	3.4	45
24	W8	E	C	N	69.0	12.6	1.884	0.38	3.263	0.146	0.9	7
24	BL	E	C	P	89.6	15.8	1.534	0.43	1.415	0.192	5.5	71
24	W2	E	C	P	144.2	26.2	1.547	0.54	0.769	0.181	10.6	150
24	W4	E	C	P	123.3	25.7	1.697	0.43	2.379	0.168	2.6	44
24	W6	E	C	P	108.1	19.2	1.821	0.44	1.369	0.145	4.6	82
24	W8	E	C	P	64.7	11.4	1.262	0.54	0.364	0.290	0.9	4
24	BL	V	C	N	138.7	24.3	1.205	0.27	0.973	0.175	6.4	78
24	W2	V	C	N	115.1	19.8	1.642	0.46	1.458	0.161	4.6	63
24	W4	V	C	N	92.7	17.0	1.632	0.39	2.930	0.130	1.9	22
24	W6	V	C	N	133.5	25.3	1.616	0.39	1.638	0.159	5.4	62
24	W8	V	C	N	93.1	17.6	1.281	0.52	2.743	0.144	1.2	11
24	BL	V	C	P	53.3	11.0	1.526	0.55	3.522	0.137	0.8	10
24	W2	V	C	P	93.6	16.5	1.589	0.50	3.858	0.149	2.4	32
24	W4	V	C	P	68.5	11.9	1.285	0.53	5.528	0.154	0.9	12
24	W6	V	C	P	50.7	10.7	1.862	0.42	1.100	0.139	0.7	6
24	W8	V	C	P	59.8	11.3	1.402	0.62	0.272	0.272	0.3	2
25	BL	E	A	N	107.8	21.2	1.595	0.50	0.852	0.159	7.5	110
25	W2	E	A	N	78.6	14.2	1.497	0.38	1.062	0.117	3.3	57
25	W4	E	A	N	62.3	13.9	1.555	0.52	4.917	0.115	2.1	31
25	W6	E	A	N	95.0	16.8	1.507	0.41	1.049	0.148	4.3	69
25	W8	E	A	N	98.0	18.3	1.396	0.53	0.743	0.111	4.7	92
25	BL	E	A	P	130.8	24.9	1.205	0.68	0.603	0.162	11.6	174
25	W2	E	A	P	100.9	18.4	1.343	0.65	1.266	0.102	4.8	85
25	W4	E	A	P	181.2	36.1	1.086	0.78	0.609	0.130	12.4	194
25	W6	E	A	P	122.4	21.8	1.474	0.46	1.158	0.135	4.2	71
25	W8	E	A	P	87.8	17.1	2.024	0.37	1.905	0.119	3.2	52
25	BL	V	A	N	147.0	30.6	2.433	0.35	1.173	0.219	10.2	103
25	W2	V	A	N	124.4	25.4	1.220	0.66	1.139	0.190	6.1	86
25	W4	V	A	N	98.6	19.9	1.756	0.45	1.644	0.224	3.2	30
25	W6	V	A	N	106.9	21.9	2.199	0.32	1.146	0.240	5.4	45
25	W8	V	A	N	96.6	19.1	2.537	0.23	2.225	0.211	3.8	42
25	BL	V	A	P	97.9	19.4	1.408	0.57	2.123	0.173	4.0	49
25	W2	V	A	P	94.3	17.8	1.335	0.63	1.389	0.193	4.9	68
25	W4	V	A	P	65.1	13.1	1.638	0.50	0.654	0.139	0.8	10
25	W6	V	A	P	99.0	18.1	1.580	0.54	3.358	0.156	2.4	35
25	W8	V	A	P	122.8	22.4	1.269	0.72	1.220	0.129	4.4	81
26	BL	E	B	N	143.3	31.3	1.740	0.46	0.996	0.239	10.4	109
26	W2	E	B	N	135.2	24.6	2.242	0.38	1.177	0.202	7.8	87
26	W4	E	B	N	183.6	42.7	2.436	0.38	1.162	0.372	17.6	97
26	W6	E	B	N	170.6	37.0	1.864	0.36	0.887	0.260	17.8	123
26	W8	E	B	N	110.1	24.6	2.166	0.36	1.272	0.195	8.6	78
26	BL	E	B	P	154.6	34.1	1.504	0.55	0.785	0.285	16.8	132
26	W2	E	B	P	109.9	21.9	1.526	0.47	1.079	0.156	8.2	119
26	W4	E	B	P	131.9	28.6	1.504	0.48	1.298	0.235	9.6	95
26	W6	E	B	P	99.0	19.5	2.190	0.38	1.401	0.144	5.5	69

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
26	W8	E	B	P	101.1	20.6	1.715	0.46	1.735	0.181	7.1	70
26	BL	V	B	N	126.7	26.0	2.357	0.35	1.610	0.219	6.8	64
26	W2	V	B	N	102.2	17.9	1.467	0.54	1.818	0.202	4.1	53
26	W4	V	B	N	107.5	21.2	1.355	0.54	1.765	0.173	3.8	51
26	W6	V	B	N	135.8	27.3	1.963	0.36	1.392	0.246	8.0	69
26	W8	V	B	N	136.6	26.0	1.699	0.45	1.419	0.212	7.0	78
26	BL	V	B	P	87.4	18.3	2.349	0.37	3.117	0.193	2.9	38
26	W2	V	B	P	101.0	20.2	1.939	0.44	1.388	0.198	4.8	72
26	W4	V	B	P	88.1	18.0	1.972	0.43	3.500	0.177	1.6	18
26	W6	V	B	P	66.7	13.9	1.967	0.49	2.708	0.195	1.3	17
26	W8	V	B	P	75.5	16.4	1.499	0.45	2.089	0.194	2.5	31
27	BL	E	C	N	50.3	9.6	1.320	0.51	5.364	0.129	0.7	8
27	W2	E	C	N	89.9	16.6	1.306	0.46	3.716	0.161	4.6	61
27	W4	E	C	N	70.5	15.9	1.476	0.54	1.442	0.128	3.0	43
27	W6	E	C	N	60.1	12.2	1.281	0.62	2.598	0.111	2.0	30
27	W8	E	C	N	90.3	16.2	1.511	0.54	1.252	0.120	4.1	72
27	BL	E	C	P	117.4	22.4	1.492	0.53	0.796	0.140	7.7	119
27	W2	E	C	P	109.3	20.0	1.591	0.52	0.819	0.136	6.6	104
27	W4	E	C	P	156.0	29.9	1.573	0.59	0.764	0.149	8.7	134
27	W6	E	C	P	112.4	21.7	1.506	0.41	0.801	0.116	6.8	117
27	W8	E	C	P	111.6	19.8	1.699	0.49	1.176	0.142	4.0	64
27	BL	V	C	N	131.6	30.9	0.805	0.13	1.492	0.348	11.4	59
27	W2	V	C	N	109.5	23.3	2.152	0.37	2.715	0.262	6.2	49
27	W4	V	C	N	145.7	30.1	1.680	0.47	0.897	0.233	10.7	97
27	W6	V	C	N	130.4	25.2	2.812	0.28	1.624	0.261	6.4	50
27	W8	V	C	N	110.4	20.2	1.165	0.54	1.922	0.207	3.9	42
27	BL	V	C	P	71.4	14.9	2.408	0.37	3.850	0.165	1.5	24
27	W2	V	C	P	65.0	12.5	1.588	0.48	5.343	0.232	1.6	12
27	W4	V	C	P	81.7	17.5	1.730	0.56	1.890	0.148	3.9	57
27	W6	V	C	P	70.3	13.4	1.454	0.51	4.534	0.239	0.6	7
27	W8	V	C	P	56.7	13.2	1.315	0.59	1.329	0.163	1.0	12
28	BL	E	A	N	80.0	14.9	2.061	0.41	2.644	0.169	2.0	31
28	W2	E	A	N	126.3	23.7	1.605	0.45	0.979	0.161	7.9	119
28	W4	E	A	N	95.8	17.0	2.556	0.30	2.294	0.206	3.3	33
28	W6	E	A	N	81.5	16.9	2.134	0.32	2.793	0.186	1.4	17
28	W8	E	A	N	129.3	24.1	2.943	0.29	1.416	0.206	5.4	69
28	BL	E	A	P	89.1	16.9	2.158	0.37	2.060	0.169	3.7	59
28	W2	E	A	P	79.3	14.7	2.151	0.33	2.138	0.170	2.8	36
28	W4	E	A	P	79.4	15.3	2.046	0.37	2.495	0.175	1.5	25
28	W6	E	A	P	110.2	19.0	1.813	0.41	2.231	0.151	2.1	33
28	W8	E	A	P	96.3	18.8	2.626	0.33	2.459	0.202	4.0	53
28	BL	V	A	N	127.5	29.6	1.721	0.34	0.906	0.247	9.9	94
28	W2	V	A	N	109.9	24.9	1.706	0.44	1.244	0.273	11.1	87
28	W4	V	A	N	127.2	27.1	1.667	0.50	1.153	0.227	5.9	69
28	W6	V	A	N	124.5	30.5	2.895	0.27	1.081	0.273	8.1	77
28	W8	V	A	N	142.4	28.2	1.464	0.42	1.035	0.249	9.5	91
28	BL	V	A	P	93.4	17.9	1.528	0.56	1.436	0.178	3.9	51
28	W2	V	A	P	99.6	18.8	1.799	0.52	2.663	0.162	2.6	42
28	W4	V	A	P	125.0	25.5	1.572	0.65	1.617	0.173	3.1	52
28	W6	V	A	P	126.3	24.7	2.042	0.48	1.801	0.167	4.1	57
28	W8	V	A	P	96.5	20.4	1.485	0.51	1.678	0.203	4.5	53
29	BL	E	B	N	111.7	19.7	1.566	0.52	1.259	0.130	4.0	67
29	W2	E	B	N	79.4	14.7	1.770	0.47	1.314	0.132	1.5	20
29	W4	E	B	N	82.3	13.4	1.542	0.39	0.827	0.086	0.8	13
29	W6	E	B	N	99.6	17.2	1.608	0.50	1.433	0.110	2.1	39
29	W8	E	B	N	94.2	16.8	1.794	0.41	2.130	0.129	2.1	35
29	BL	E	B	P	81.3	14.6	1.854	0.43	2.295	0.145	1.6	21
29	W2	E	B	P	69.7	13.5	1.603	0.49	3.058	0.164	0.9	13
29	W4	E	B	P	55.5	10.0	2.613	0.25		0.162	0.4	4
29	W6	E	B	P	52.5	10.6	2.079	0.37	0.021	0.211	0.5	7
29	W8	E	B	P	77.6	13.8	1.558	0.39	2.852	0.146	1.6	19
29	BL	V	B	N	152.9	29.6	1.630	0.48	0.758	0.195	10.8	132
29	W2	V	B	N	131.3	24.5	1.401	0.50	1.217	0.176	6.6	86
29	W4	V	B	N	138.4	24.7	1.543	0.60	1.719	0.138	5.1	79
29	W6	V	B	N	91.5	15.5	1.409	0.48	2.423	0.137	1.4	12
29	W8	V	B	N	93.1	16.8	1.774	0.37	1.162	0.178	2.6	31
29	BL	V	B	P	77.2	13.5	1.549	0.51	1.465	0.172	2.9	35

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
29	W2	V	B	P	73.6	14.6	1.876	0.46	1.933	0.158	2.1	26
29	W4	V	B	P	49.4	10.1	3.140	0.26	2.733	0.106	0.4	5
29	W6	V	B	P	54.5	10.4	1.208	0.53			0.3	0
29	W8	V	B	P	50.7	9.8	1.331	0.47	7.080	0.190	0.7	8
30	BL	E	C	N	179.6	39.5	1.531	0.61	0.568	0.307	25.3	201
30	W2	E	C	N	180.0	36.4	1.366	0.56	0.510	0.242	20.8	209
30	W4	E	C	N	173.7	34.4	1.470	0.54	0.736	0.270	16.4	151
30	W6	E	C	N	184.2	39.0	1.468	0.61	0.521	0.271	22.9	205
30	W8	E	C	N	189.2	40.3	1.383	0.64	0.509	0.296	27.3	223
30	BL	E	C	P	180.0	38.6	1.151	0.82	0.510	0.237	18.8	212
30	W2	E	C	P	155.3	32.6	1.287	0.73	0.543	0.241	17.1	197
30	W4	E	C	P	154.8	31.5	1.603	0.63	0.771	0.206	13.1	159
30	W6	E	C	P	169.3	33.1	1.366	0.65	0.599	0.194	13.1	188
30	W8	E	C	P	142.0	29.0	1.457	0.56	0.641	0.206	15.0	186
30	BL	V	C	N	158.5	32.6	1.783	0.53	0.747	0.243	14.1	147
30	W2	V	C	N	125.8	24.2	1.664	0.29	1.001	0.210	6.8	85
30	W4	V	C	N	131.4	25.2	1.914	0.32	1.454	0.252	5.9	50
30	W6	V	C	N	173.5	39.5	1.529	0.30	1.237	0.314	16.9	92
30	W8	V	C	N	173.0	37.7	2.275	0.43	1.068	0.283	16.7	114
30	BL	V	C	P	110.7	22.4	1.639	0.60	1.115	0.189	5.7	84
30	W2	V	C	P	95.1	18.6	1.737	0.41	1.364	0.172	4.8	78
30	W4	V	C	P	98.4	18.2	2.467	0.37	1.774	0.183	3.5	56
30	W6	V	C	P	73.5	14.7	1.811	0.33	3.289	0.187	3.0	39
30	W8	V	C	P	96.3	18.3	2.176	0.40	1.532	0.199	3.9	63
31	BL	E	A	N	88.1	16.4	1.902	0.34	2.146	0.211	2.4	27
31	W2	E	A	N	93.7	18.5	2.061	0.30	1.677	0.174	4.4	50
31	W4	E	A	N	77.9	15.5	1.666	0.32	1.377	0.198	3.0	29
31	W6	E	A	N	78.5	15.2	2.291	0.22	1.738	0.147	1.8	29
31	W8	E	A	N	90.0	16.6	2.117	0.37	1.277	0.134	1.8	35
31	BL	E	A	P	92.1	17.3	2.110	0.27	1.691	0.184	2.9	43
31	W2	E	A	P	85.8	15.7	1.426	0.35	2.611	0.159	2.0	28
31	W4	E	A	P	87.4	15.4	1.984	0.41	2.392	0.154	1.8	19
31	W6	E	A	P	78.3	14.3	1.933	0.49	2.597	0.141	1.3	14
31	W8	E	A	P	60.9	11.0	2.249	0.36	5.607	0.140	0.4	4
31	BL	V	A	N	120.6	22.9	2.637	0.23	0.991	0.199	6.7	74
31	W2	V	A	N	112.7	19.6	1.985	0.39	1.338	0.118	5.0	71
31	W4	V	A	N	123.9	22.1	1.624	0.37	1.720	0.170	4.2	57
31	W6	V	A	N	134.4	24.3	1.442	0.28	1.313	0.158	5.5	82
31	W8	V	A	N	121.9	21.3	1.718	0.34	2.120	0.116	2.7	47
31	BL	V	A	P	70.3	13.7	1.478	0.57	1.791	0.180	1.8	24
31	W2	V	A	P	41.4	8.5	1.756	0.43			0.2	0
31	W4	V	A	P	77.0	17.1	1.938	0.47	1.599	0.175	1.3	19
31	W6	V	A	P	61.8	12.6	1.685	0.58	0.421	0.157	0.6	7
31	W8	V	A	P	53.5	11.6	1.867	0.47			0.1	0
32	BL	E	B	N	130.3	26.4	1.528	0.54	0.761	0.204	12.6	146
32	W2	E	B	N	147.0	29.6	1.424	0.61	0.573	0.194	14.2	187
32	W4	E	B	N	67.3	12.9	1.716	0.37	3.445	0.183	1.6	23
32	W6	E	B	N	96.8	18.1	1.641	0.46	1.377	0.177	3.7	55
32	W8	E	B	N	148.2	25.5	1.821	0.50	0.851	0.179	8.3	129
32	BL	E	B	P	109.8	20.8	1.843	0.53	1.200	0.159	5.8	94
32	W2	E	B	P	102.6	19.8	1.829	0.50	1.215	0.179	5.9	80
32	W4	E	B	P	174.1	30.4	1.379	0.67	0.869	0.189	11.8	145
32	W6	E	B	P	104.4	19.4	1.471	0.56	1.134	0.156	3.2	58
32	W8	E	B	P	89.9	16.3	1.639	0.47	1.432	0.171	3.1	59
32	BL	V	B	N	157.9	36.9	1.556	0.33	0.932	0.328	16.1	103
32	W2	V	B	N	190.6	38.9	2.369	0.41	0.804	0.271	17.8	142
32	W4	V	B	N	139.1	26.4	2.223	0.26	1.966	0.204	5.9	69
32	W6	V	B	N	176.3	40.4	1.739	0.30	1.105	0.321	14.4	98
32	W8	V	B	N	175.3	33.9	1.573	0.44	1.021	0.205	9.0	99
32	BL	V	B	P	88.8	17.6	1.976	0.38	2.682	0.229	3.3	34
32	W2	V	B	P	78.6	16.9	1.832	0.36	1.814	0.168	3.9	57
32	W4	V	B	P	47.9	10.4	1.391	0.56	5.357	0.121	0.5	6
32	W6	V	B	P	68.7	14.7	2.234	0.32	2.349	0.193	2.2	24
32	W8	V	B	P	53.0	10.8	2.133	0.37	2.232	0.184	0.5	7
33	BL	E	C	N	119.6	24.1	1.321	0.71	0.546	0.172	13.4	198
33	W2	E	C	N	146.8	29.2	0.996	0.87	0.481	0.158	14.0	215
33	W4	E	C	N	100.2	20.1	1.324	0.62	0.820	0.172	6.2	98

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
33	W6	E	C	N	142.7	28.0	1.242	0.75	0.535	0.181	14.5	198
33	W8	E	C	N	154.2	30.8	1.258	0.66	0.488	0.189	16.0	225
33	BL	E	C	P	125.8	25.3	1.325	0.64	0.548	0.188	15.8	208
33	W2	E	C	P	99.3	21.8	1.197	0.75	0.654	0.187	11.8	167
33	W4	E	C	P	142.9	28.0	1.070	0.73	0.663	0.172	11.8	171
33	W6	E	C	P	141.1	29.3	1.411	0.60	0.552	0.179	14.4	197
33	W8	E	C	P	130.3	26.6	1.250	0.69	0.567	0.190	13.5	189
33	BL	V	C	N	166.3	35.3	1.513	0.59	0.712	0.230	13.9	152
33	W2	V	C	N	146.1	31.2	1.748	0.46	0.860	0.273	15.9	126
33	W4	V	C	N	204.4	44.6	1.482	0.56	0.693	0.225	16.6	159
33	W6	V	C	N	170.1	34.7	1.625	0.52	0.901	0.231	11.9	124
33	W8	V	C	N	130.8	28.1	1.567	0.50	0.731	0.188	11.6	153
33	BL	V	C	P	112.1	22.6	1.269	0.71	1.209	0.177	4.9	77
33	W2	V	C	P	132.1	25.6	1.497	0.56	0.899	0.198	10.9	126
33	W4	V	C	P	88.6	21.5	2.037	0.49	1.772	0.174	2.5	37
33	W6	V	C	P	135.2	29.8	1.737	0.35	0.753	0.262	13.7	133
33	W8	V	C	P	117.5	22.6	1.153	0.71	0.700	0.157	9.2	138
35	BL	E	B	N	66.7	13.9	2.232	0.32	1.756	0.132	3.4	62
35	W2	E	B	N	126.7	21.9	1.592	0.40	0.702	0.175	9.5	136
35	W4	E	B	N	139.1	26.7	1.742	0.46	0.668	0.190	11.5	158
35	W6	E	B	N	75.6	14.5	1.633	0.44	2.724	0.150	2.3	33
35	W8	E	B	N	124.5	24.2	1.451	0.45	0.814	0.201	9.7	128
35	BL	E	B	P	111.9	21.1	1.444	0.54	0.982	0.124	6.9	121
35	W2	E	B	P	129.7	23.3	2.012	0.46	1.056	0.155	7.5	115
35	W4	E	B	P	137.4	26.4	1.729	0.52	0.695	0.154	8.6	145
35	W6	E	B	P	88.8	17.2	1.575	0.57	1.613	0.131	3.0	43
35	W8	E	B	P	147.9	27.9	1.227	0.62	0.608	0.146	10.2	165
35	BL	V	B	N	134.2	26.6	1.436	0.38	1.307	0.263	9.9	86
35	W2	V	B	N	118.4	23.7	1.544	0.43	1.344	0.220	7.4	74
35	W4	V	B	N	126.5	23.9	1.632	0.53	0.995	0.168	6.7	97
35	W6	V	B	N	103.6	18.8	1.570	0.55	1.747	0.179	4.8	60
35	W8	V	B	N	130.1	25.8	1.594	0.52	1.045	0.196	8.0	98
35	BL	V	B	P	118.8	25.9	1.657	0.37	0.811	0.204	8.4	113
35	W2	V	B	P	128.9	26.2	1.705	0.43	1.957	0.226	4.9	54
35	W4	V	B	P	118.0	22.3	2.187	0.32	1.590	0.205	4.9	58
35	W6	V	B	P	150.5	28.7	1.176	0.48	0.755	0.160	10.1	142
35	W8	V	B	P	133.4	26.7	1.158	0.71	0.910	0.168	6.8	102
36	BL	E	C	N	236.6	72.2	1.569	0.62	0.993	0.599	47.8	113
36	W2	E	C	N	207.4	48.1	1.409	0.56	0.669	0.341	27.7	172
36	W4	E	C	N	222.3	55.0	1.314	0.61	0.812	0.337	25.5	144
36	W6	E	C	N	192.1	41.6	1.676	0.51	0.773	0.284	19.7	138
36	W8	E	C	N	221.6	68.6	1.716	0.50	1.277	0.455	20.0	70
36	BL	E	C	P	131.9	29.6	1.346	0.60	0.865	0.245	14.0	124
36	W2	E	C	P	130.5	26.6	1.274	0.70	0.805	0.191	10.8	142
36	W4	E	C	P	79.9	17.9	1.949	0.30	2.070	0.171	5.2	47
36	W6	E	C	P	112.1	24.6	1.956	0.48	1.185	0.204	8.0	88
36	W8	E	C	P	94.1	24.3	1.739	0.48	1.214	0.203	9.3	82
36	BL	V	C	N	112.3	24.1	3.039	0.26	1.275	0.231	9.6	94
36	W2	V	C	N	128.1	29.2	2.044	0.33	0.942	0.228	13.8	112
36	W4	V	C	N	61.2	12.8	2.400	0.34	4.016	0.193	1.4	15
36	W6	V	C	N	72.4	16.1	1.960	0.40	1.801	0.184	3.9	48
36	W8	V	C	N	153.9	31.5	2.076	0.29	1.257	0.276	11.4	88
36	BL	V	C	P	100.7	19.7	2.133	0.40	2.265	0.204	3.6	53
36	W2	V	C	P	103.7	20.2	1.650	0.58	1.290	0.154	5.6	79
36	W4	V	C	P	208.7	42.4	1.260	0.62	0.608	0.213	17.1	178
36	W6	V	C	P	172.3	34.4	1.440	0.52	0.666	0.210	15.0	156
36	W8	V	C	P	78.6	15.8	2.118	0.32	3.193	0.174	2.1	27
37	BL	E	A	N	152.4	30.0	1.323	0.42	0.632	0.207	12.3	134
37	W2	E	A	N	145.1	26.7	1.482	0.45	0.895	0.180	8.4	108
37	W4	E	A	N	90.1	17.4	1.433	0.30	1.636	0.193	3.6	45
37	W6	E	A	N	121.0	23.9	1.646	0.37	0.754	0.183	7.7	102
37	W8	E	A	N	151.1	29.1	1.415	0.47	0.735	0.204	11.9	149
37	BL	E	A	P	58.5	13.6	1.751	0.46	2.178	0.147	1.1	17
37	W2	E	A	P	81.5	15.7	1.864	0.38	2.913	0.156	1.9	36
37	W4	E	A	P	110.8	19.0	2.062	0.42	1.977	0.162	3.0	53
37	W6	E	A	P	123.9	26.7	1.402	0.59	0.843	0.166	7.7	108
37	W8	E	A	P	104.6	22.4	1.907	0.40	1.075	0.185	6.6	88

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
37	BL	V	A	N	162.9	32.7	2.462	0.37	0.800	0.206	13.7	143
37	W2	V	A	N	127.8	28.4	1.818	0.30	1.204	0.253	9.4	82
37	W4	V	A	N	140.6	29.6	1.756	0.40	1.373	0.222	8.3	80
37	W6	V	A	N	121.7	24.3	2.563	0.41	1.595	0.278	8.5	72
37	W8	V	A	N	168.9	35.3	2.555	0.33	1.178	0.280	14.0	105
37	BL	V	A	P	69.3	16.1	3.155	0.23	2.281	0.163	3.5	37
37	W2	V	A	P	83.0	17.0	1.997	0.44	2.665	0.147	1.9	30
37	W4	V	A	P	102.7	20.3	2.013	0.45	2.253	0.170	3.7	49
37	W6	V	A	P	94.5	19.6	2.640	0.25	1.632	0.221	4.8	52
37	W8	V	A	P	155.0	33.6	2.318	0.30	0.990	0.295	15.5	120
38	BL	E	B	N	87.5	17.4	2.451	0.30	1.048	0.167	3.9	52
38	W2	E	B	N	107.1	19.3	2.694	0.23	1.294	0.208	7.1	66
38	W4	E	B	N	97.7	19.4	2.065	0.28	1.472	0.172	7.1	80
38	W6	E	B	N	169.6	38.0	3.116	0.27	0.916	0.340	21.2	123
38	W8	E	B	N	200.8	52.7	1.772	0.46	0.892	0.399	34.3	136
38	BL	E	B	P	151.3	29.3	1.829	0.42	0.830	0.219	12.3	124
38	W2	E	B	P	160.3	28.3	1.622	0.46	0.791	0.193	11.8	142
38	W4	E	B	P	167.0	33.5	1.729	0.48	0.558	0.183	17.4	193
38	W6	E	B	P	152.2	33.0	1.668	0.50	0.880	0.259	14.8	128
38	W8	E	B	P	158.2	34.4	1.978	0.39	0.969	0.283	21.2	110
38	BL	V	B	N	167.3	36.1	1.710	0.52	0.727	0.241	16.6	156
38	W2	V	B	N	202.2	48.6	1.793	0.48	0.810	0.305	23.4	143
38	W4	V	B	N	188.4	41.8	1.737	0.54	0.631	0.257	19.9	177
38	W6	V	B	N	160.6	35.0	1.632	0.52	0.584	0.243	19.2	187
38	W8	V	B	N	214.1	54.2	1.763	0.54	0.635	0.315	28.2	162
38	BL	V	B	P	106.3	23.0	1.497	0.54	0.890	0.222	9.1	112
38	W2	V	B	P	79.7	16.5	2.162	0.43	1.541	0.199	5.3	72
38	W4	V	B	P	156.4	36.1	1.482	0.50	0.706	0.269	17.4	142
38	W6	V	B	P	168.8	36.3	1.301	0.50	0.687	0.248	16.8	161
38	W8	V	B	P	89.7	19.4	1.690	0.49	1.157	0.201	7.3	91
39	BL	E	C	N	102.2	17.3	1.514	0.49	1.443	0.146	4.0	68
39	W2	E	C	N	109.9	19.9	1.812	0.43	1.291	0.137	4.3	62
39	W4	E	C	N	60.4	12.1	1.814	0.37	1.800	0.113	1.4	19
39	W6	E	C	N	105.5	18.0	1.578	0.42	1.541	0.128	2.9	49
39	W8	E	C	N	88.3	15.8	1.660	0.34	2.406	0.169	2.2	31
39	BL	E	C	P	99.4	19.5	1.615	0.53	0.820	0.148	3.4	60
39	W2	E	C	P	77.2	14.6	1.394	0.57	0.821	0.164	1.9	26
39	W4	E	C	P	113.1	22.3	1.669	0.55	0.907	0.114	7.2	120
39	W6	E	C	P	71.3	13.7	1.814	0.49	5.058	0.174	1.6	15
39	W8	E	C	P	130.2	22.4	1.519	0.62	1.164	0.133	5.1	90
39	BL	V	C	N	126.4	24.1	1.582	0.43	1.143	0.178	6.8	86
39	W2	V	C	N	194.9	37.2	1.724	0.48	0.621	0.206	13.3	152
39	W4	V	C	N	182.6	37.2	1.340	0.30	0.975	0.242	12.7	113
39	W6	V	C	N	128.4	22.5	1.573	0.47	1.359	0.147	4.5	69
39	W8	V	C	N	181.7	38.9	2.816	0.37	0.885	0.219	13.8	130
39	BL	V	C	P	76.2	14.6	1.613	0.49	3.587	0.127	1.4	15
39	W2	V	C	P	66.5	13.0	1.772	0.53	1.630	0.154	1.0	8
39	W4	V	C	P	135.5	25.4	1.534	0.44	0.931	0.173	7.3	103
39	W6	V	C	P	67.8	15.2	1.515	0.49	1.160	0.199	1.7	23
39	W8	V	C	P	80.7	12.9	1.322	0.61	3.519	0.139	1.8	20
40	BL	E	A	N	76.3	14.7	1.766	0.38	0.997	0.135	1.7	28
40	W2	E	A	N	58.0	11.7	1.535	0.40	2.177	0.136	0.8	11
40	W4	E	A	N	57.9	12.2	1.544	0.46	2.213	0.118	0.4	6
40	W6	E	A	N	81.8	14.9	1.796	0.34	2.064	0.171	2.3	31
40	W8	E	A	N	102.5	17.9	1.233	0.59	1.524	0.129	3.0	46
40	BL	E	A	P	121.2	23.0	1.421	0.52	1.119	0.146	5.2	74
40	W2	E	A	P	141.3	26.8	1.484	0.62	0.965	0.173	9.3	123
40	W4	E	A	P	108.5	19.2	1.663	0.54	1.366	0.127	3.0	51
40	W6	E	A	P	61.3	11.7	2.043	0.43	5.121	0.136	0.9	16
40	W8	E	A	P	71.8	14.6	1.489	0.60	3.249	0.149	2.4	31
40	BL	V	A	N	140.8	25.8	1.657	0.32	0.741	0.172	9.4	117
40	W2	V	A	N	120.1	23.0	1.735	0.38	1.151	0.201	7.0	76
40	W4	V	A	N	185.6	35.5	1.592	0.46	0.696	0.175	10.9	150
40	W6	V	A	N	68.8	12.4	1.770	0.45	2.281	0.202	0.9	9
40	W8	V	A	N	137.5	23.5	1.340	0.62	1.134	0.114	6.4	106
40	BL	V	A	P	108.1	20.5	1.540	0.47	1.048	0.166	6.4	80
40	W2	V	A	P	149.5	31.7	1.324	0.45	0.621	0.232	12.8	123

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
40	W4	V	A	P	90.1	17.2	1.347	0.53	2.116	0.161	3.7	60
40	W6	V	A	P	153.8	27.6	1.923	0.36	1.428	0.181	6.1	69
40	W8	V	A	P	87.9	16.0	1.596	0.56	1.891	0.138	2.3	29
41	BL	E	B	N	85.6	15.1	1.634	0.42	1.914	0.168	2.1	24
41	W2	E	B	N	85.3	14.5	1.672	0.46	2.107	0.129	1.5	22
41	W4	E	B	N	66.8	11.0	1.739	0.50	1.169	0.141	1.1	12
41	W6	E	B	N	62.5	10.8	1.752	0.37	7.878	0.145	0.5	6
41	W8	E	B	N	79.6	13.1	2.069	0.37	2.282	0.176	1.5	18
41	BL	E	B	P	73.8	13.7	2.051	0.40	3.125	0.145	1.8	26
41	W2	E	B	P	50.7	9.2	1.820	0.42		0.108	0.3	2
41	W4	E	B	P	100.4	17.2	2.075	0.42	2.682	0.148	1.9	30
41	W6	E	B	P	72.8	13.6	1.802	0.39	4.462	0.125	0.7	9
41	W8	E	B	P	67.4	12.4	2.048	0.25	3.018	0.207	1.8	22
41	BL	V	B	N	118.7	22.4	1.324	0.65	1.072	0.171	6.5	94
41	W2	V	B	N	123.7	23.4	1.681	0.30	0.918	0.164	6.6	76
41	W4	V	B	N	156.4	29.8	1.711	0.42	0.794	0.183	11.1	147
41	W6	V	B	N	133.2	23.9	1.481	0.26	1.161	0.216	6.9	64
41	W8	V	B	N	105.2	18.8	1.453	0.54	1.145	0.146	1.6	25
41	BL	V	B	P	122.0	23.9	1.341	0.67	0.875	0.183	8.3	120
41	W2	V	B	P	78.9	14.4	1.449	0.60	4.147	0.149	2.0	20
41	W4	V	B	P	97.5	17.5	1.328	0.70	2.213	0.148	3.3	43
41	W6	V	B	P	92.5	17.4	1.403	0.60	3.277	0.203	2.9	33
41	W8	V	B	P	97.4	20.1	1.335	0.63	2.698	0.196	3.1	35
42	BL	E	C	N	90.3	16.1	1.847	0.48	1.130	0.130	7.1	118
42	W2	E	C	N	100.1	18.3	1.697	0.44	0.660	0.131	8.0	116
42	W4	E	C	N	93.4	18.5	1.731	0.46	1.510	0.160	3.7	60
42	W6	E	C	N	61.0	11.9	1.607	0.51	1.963	0.130	0.8	11
42	W8	E	C	N	82.1	15.7	1.852	0.38	0.968	0.164	3.3	49
42	BL	E	C	P	150.8	28.2	1.070	0.76	0.454	0.126	12.9	235
42	W2	E	C	P	128.6	23.1	1.198	0.71	0.520	0.112	11.7	208
42	W4	E	C	P	139.6	28.2	1.460	0.44	1.271	0.189	6.0	78
42	W6	E	C	P	124.3	21.0	1.227	0.72	2.242	0.111	2.7	40
42	W8	E	C	P	99.9	18.5	1.425	0.65	1.676	0.134	2.7	42
42	BL	V	C	N	172.0	34.0	1.094	0.15	0.927	0.185	11.5	121
42	W2	V	C	N	87.5	18.4	1.951	0.27	1.335	0.127	4.5	66
42	W4	V	C	N	129.8	24.7	1.456	0.13	1.775	0.196	5.7	62
42	W6	V	C	N	78.3	18.8	1.858	0.22	1.202	0.278	2.5	19
42	W8	V	C	N	132.4	24.3	2.342	0.27	1.598	0.209	6.1	58
42	BL	V	C	P	50.1	10.6	1.615	0.54	0.677	0.129	0.5	5
42	W2	V	C	P	46.6	8.7	1.284	0.58	2.240	0.136	0.5	5
42	W4	V	C	P	42.2	8.8	1.835	0.47		0.077	0.2	1
42	W6	V	C	P	54.9	12.8	1.743	0.43		0.119	0.3	3
42	W8	V	C	P	40.6	8.0	1.653	0.48		0.114	0.1	1
43	BL	E	A	N	73.6	15.3	1.798	0.39	2.383	0.161	1.5	22
43	W2	E	A	N	94.0	19.2	1.768	0.48	1.541	0.160	4.1	70
43	W4	E	A	N	50.7	12.5	1.763	0.44	4.958	0.147	0.5	8
43	W6	E	A	N	68.5	15.1	2.032	0.37	2.408	0.177	2.9	41
43	W8	E	A	N	86.2	16.3	2.121	0.42	1.960	0.172	2.7	47
43	BL	E	A	P	88.8	16.7	1.974	0.31	2.044	0.135	2.7	48
43	W2	E	A	P	86.2	16.1	2.900	0.31	2.494	0.147	2.7	49
43	W4	E	A	P	143.9	24.9	2.073	0.40	1.412	0.119	5.0	95
43	W6	E	A	P	161.3	30.1	1.928	0.49	0.770	0.169	11.5	167
43	W8	E	A	P	98.8	17.8	1.728	0.37	2.189	0.163	3.2	55
43	BL	V	A	N	131.0	24.1	1.530	0.55	0.868	0.182	10.2	137
43	W2	V	A	N	90.7	15.6	2.021	0.30	0.924	0.137	2.0	30
43	W4	V	A	N	118.0	23.0	2.194	0.37	2.119	0.231	5.7	51
43	W6	V	A	N	131.3	27.6	1.364	0.28	0.896	0.194	10.0	103
43	W8	V	A	N	125.9	24.2	1.499	0.46	0.805	0.149	6.2	88
43	BL	V	A	P	102.9	18.9	1.574	0.37	1.059	0.164	6.7	89
43	W2	V	A	P	48.4	9.1	1.812	0.36	1.852	0.127	0.4	8
43	W4	V	A	P	63.4	12.2	1.501	0.50	0.680	0.199	0.6	5
43	W6	V	A	P	68.0	15.0	1.652	0.50	1.883	0.121	2.8	43
43	W8	V	A	P	51.1	9.5	1.873	0.48		0.060	0.2	1
44	BL	E	B	N	187.9	39.5	1.322	0.73	0.423	0.183	21.1	260
44	W2	E	B	N	99.1	20.0	1.254	0.55	0.952	0.184	6.8	108
44	W4	E	B	N	106.1	20.2	1.263	0.61	0.817	0.177	7.7	113
44	W6	E	B	N	112.1	22.2	1.454	0.46	1.002	0.193	6.7	98

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
44	W8	E	B	N	122.9	21.2	1.396	0.55	1.312	0.153	5.6	88
44	BL	E	B	P	91.8	17.8	1.624	0.45	1.169	0.136	3.6	68
44	W2	E	B	P	146.8	30.7	1.172	0.74	0.515	0.193	16.0	198
44	W4	E	B	P	154.8	28.2	1.303	0.68	0.630	0.145	11.0	175
44	W6	E	B	P	156.4	30.4	0.966	0.86	0.726	0.160	9.7	152
44	W8	E	B	P	89.5	16.5	1.338	0.62	2.990	0.163	2.7	38
44	BL	V	B	N	192.1	37.9	1.403	0.66	0.637	0.214	15.9	177
44	W2	V	B	N	204.6	43.9	1.263	0.74	0.615	0.268	21.2	185
44	W4	V	B	N	140.8	27.0	1.819	0.51	0.999	0.199	9.1	115
44	W6	V	B	N	190.7	38.6	1.782	0.54	0.628	0.235	16.3	174
44	W8	V	B	N	139.8	24.9	1.308	0.48	0.999	0.195	8.5	113
44	BL	V	B	P	79.3	18.2	2.224	0.37	1.906	0.192	3.4	48
44	W2	V	B	P	101.2	22.4	1.551	0.47	0.895	0.230	10.3	116
44	W4	V	B	P	151.2	28.8	1.533	0.60	0.741	0.222	12.9	143
44	W6	V	B	P	101.8	20.8	1.792	0.54	1.996	0.181	6.4	81
44	W8	V	B	P	160.5	33.3	1.526	0.46	0.891	0.254	12.7	122
45	BL	E	C	N	234.7	66.7	0.927	0.96	0.928	0.320	18.4	112
45	W2	E	C	N	195.8	45.8	1.245	0.73	0.727	0.322	26.5	151
45	W4	E	C	N	99.1	20.3	2.651	0.37	2.654	0.218	4.3	46
45	W6	E	C	N	154.5	33.9	1.344	0.54	0.667	0.211	15.2	145
45	W8	E	C	N	212.9	46.5	1.321	0.67	0.664	0.259	21.5	170
45	BL	E	C	P	112.7	25.9	1.691	0.47	0.953	0.250	11.7	97
45	W2	E	C	P	143.5	29.1	2.207	0.46	1.021	0.229	13.4	119
45	W4	E	C	P	50.1	10.3	2.244	0.38	3.054	0.164	0.6	5
45	W6	E	C	P	105.5	23.3	1.654	0.56	1.000	0.160	11.0	123
45	W8	E	C	P	101.1	18.1	2.013	0.37	1.446	0.183	4.5	58
45	BL	V	C	N	148.1	30.0	1.920	0.44	0.949	0.206	8.1	97
45	W2	V	C	N	166.1	29.5	1.703	0.48	0.776	0.157	9.1	135
45	W4	V	C	N	71.4	15.5	2.095	0.37	1.028	0.146	4.7	58
45	W6	V	C	N	95.9	19.2	1.788	0.47	1.132	0.146	6.0	90
45	W8	V	C	N	204.2	45.0	1.625	0.52	0.657	0.221	18.0	164
45	BL	V	C	P	117.5	24.1	1.739	0.47	1.051	0.170	6.1	82
45	W2	V	C	P	68.5	13.6	1.849	0.43	2.950	0.149	1.1	12
45	W4	V	C	P	150.3	29.6	1.327	0.68	0.810	0.148	8.9	119
45	W6	V	C	P	108.5	22.2	1.452	0.62	1.219	0.141	6.9	103
45	W8	V	C	P	68.2	15.7	1.788	0.36	2.560	0.185	1.9	20
46	BL	E	A	N	137.3	26.3	2.046	0.46	0.763	0.201	10.8	142
46	W2	E	A	N	119.2	25.2	2.242	0.39	1.369	0.246	8.1	78
46	W4	E	A	N	118.0	23.9	2.090	0.36	1.402	0.218	6.2	68
46	W6	E	A	N	121.3	24.6	2.277	0.29	1.361	0.234	6.9	70
46	W8	E	A	N	163.7	36.6	2.484	0.36	1.112	0.373	17.4	97
46	BL	E	A	P	128.3	24.3	2.000	0.37	1.095	0.178	7.5	102
46	W2	E	A	P	162.4	33.6	1.518	0.55	1.047	0.233	10.2	112
46	W4	E	A	P	134.2	27.0	1.525	0.46	1.111	0.203	7.0	89
46	W6	E	A	P	145.6	29.0	1.845	0.49	0.864	0.211	10.4	129
46	W8	E	A	P	173.9	38.6	1.663	0.45	0.853	0.295	18.3	127
46	BL	V	A	N	104.9	19.8	1.427	0.43	0.971	0.205	6.1	77
46	W2	V	A	N	98.3	17.1	1.767	0.39	2.442	0.145	2.5	40
46	W4	V	A	N	108.2	21.5	2.279	0.35	1.485	0.189	5.7	75
46	W6	V	A	N	115.2	23.6	2.582	0.31	1.575	0.219	7.0	63
46	W8	V	A	N	128.6	27.2	3.099	0.30	1.139	0.214	9.5	89
46	BL	V	A	P	89.2	16.0	1.278	0.48	1.674	0.163	3.2	44
46	W2	V	A	P	72.8	13.2	1.332	0.51	3.199	0.149	1.4	14
46	W4	V	A	P	102.3	20.2	1.354	0.63	1.768	0.149	3.7	52
46	W6	V	A	P	92.8	18.5	2.100	0.44	1.854	0.142	3.3	52
46	W8	V	A	P	114.0	23.9	2.111	0.44	1.423	0.172	6.5	84
47	BL	E	B	N	152.1	31.5	1.641	0.53	0.638	0.256	21.1	179
47	W2	E	B	N	81.8	16.2	2.030	0.42	2.270	0.176	2.8	44
47	W4	E	B	N	158.2	27.7	1.609	0.54	0.729	0.161	10.5	148
47	W6	E	B	N	102.6	19.2	1.873	0.38	1.476	0.171	5.4	83
47	W8	E	B	N	112.1	19.4	1.813	0.29	1.244	0.174	4.3	63
47	BL	E	B	P	173.1	36.4	1.301	0.69	0.598	0.234	20.5	194
47	W2	E	B	P	175.2	35.1	1.317	0.72	0.741	0.181	13.8	172
47	W4	E	B	P	69.7	14.3	2.124	0.40	1.796	0.141	2.5	42
47	W6	E	B	P	85.6	15.6	2.177	0.34	1.549	0.131	2.4	50
47	W8	E	B	P	71.6	13.8	1.894	0.34	5.569	0.171	0.9	16
47	BL	V	B	N	161.3	33.6	1.526	0.40	0.678	0.254	15.3	163

Data Listing

SKIN REPLICA
IMAGE ANALYSIS

SUBJ	VISIT	SITE	TRTMNT	SAMPLE	Rz	Ra	Fspace	FNUM	Spacing	Breadth	Shadows	NumWr
47	W2	V	B	N	171.0	33.0	1.735	0.43	0.989	0.224	9.7	108
47	W4	V	B	N	184.3	33.2	1.857	0.45	0.831	0.184	11.4	141
47	W6	V	B	N	115.3	22.9	2.061	0.41	1.108	0.210	7.4	92
47	W8	V	B	N	134.2	26.6	1.540	0.46	1.040	0.197	8.8	101
47	BL	V	B	P	154.8	32.7	1.593	0.62	0.794	0.233	13.5	150
47	W2	V	B	P	103.1	20.7	2.491	0.40	1.405	0.202	5.4	84
47	W4	V	B	P	73.1	16.6	2.559	0.39	2.405	0.209	2.8	34
47	W6	V	B	P	114.3	22.2	1.821	0.40	1.080	0.159	6.1	103
47	W8	V	B	P	99.5	19.5	1.904	0.47	2.208	0.179	4.8	62
48	BL	E	C	N	61.4	12.3	1.774	0.40	1.481	0.167	1.3	15
48	W2	E	C	N	56.7	12.7	2.124	0.37	1.459	0.142	2.1	23
48	W4	E	C	N	66.2	13.0	2.192	0.37	2.558	0.169	1.7	20
48	W6	E	C	N	102.7	17.8	1.871	0.44	1.403	0.177	4.1	51
48	W8	E	C	N	74.9	15.0	2.153	0.37	2.904	0.176	1.6	27
48	BL	E	C	P	168.4	31.6	1.312	0.69	0.581	0.157	13.1	196
48	W2	E	C	P	193.8	44.0	1.140	0.80	0.564	0.227	22.7	193
48	W4	E	C	P	132.8	23.5	1.696	0.47	1.256	0.158	4.9	82
48	W6	E	C	P	93.2	17.0	2.333	0.37	2.171	0.160	2.4	42
48	W8	E	C	P	117.9	21.0	1.926	0.36	1.248	0.169	4.2	75
48	BL	V	C	N	71.0	13.7	1.690	0.54	3.167	0.176	2.6	29
48	W2	V	C	N	98.9	18.2	2.523	0.29	2.291	0.223	2.7	32
48	W4	V	C	N	67.2	13.2	1.805	0.39	1.128	0.139	1.2	19
48	W6	V	C	N	98.5	17.6	1.780	0.37	2.238	0.143	1.6	21
48	W8	V	C	N	80.7	16.0	2.635	0.32	2.562	0.184	2.4	34
48	BL	V	C	P	69.9	13.6	1.647	0.35	1.570	0.164	3.0	41
48	W2	V	C	P	79.8	16.1	1.703	0.55	2.983	0.176	1.4	15
48	W4	V	C	P	66.7	13.4	1.596	0.49	2.694	0.162	0.9	10
48	W6	V	C	P	62.9	11.8	2.837	0.30	3.548	0.209	0.8	7
48	W8	V	C	P	92.1	16.2	1.640	0.54	1.668	0.170	2.9	46